

110年死因除外簡易生命表包括下列10個表，請利用滑鼠點選即可連結至欲查詢之生命表。

[表1 惡性腫瘤死因除外簡易生命表](#)

[表2 心臟疾病死因除外簡易生命表](#)

[表3 肺炎死因除外簡易生命表](#)

[表4 腦血管疾病死因除外簡易生命表](#)

[表5 糖尿病死因除外簡易生命表](#)

[表6 高血壓性疾病死因除外簡易生命表](#)

[表7 事故傷害死因除外簡易生命表](#)

[表8 慢性下呼吸道疾病死因除外簡易生命表](#)

[表9 腎炎、腎病症候群及腎病變死因除外簡易生命表](#)

[表10 慢性肝病及肝硬化死因除外簡易生命表](#)

表1 惡性腫瘤死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8470170	84.70
1M	0.00035	99727	35	8309	8461848	84.85
2M	0.00022	99692	22	8307	8453538	84.80
3M	0.00044	99671	44	24912	8445232	84.73
6M	0.00036	99626	36	49804	8420320	84.52
0	0.00410	100000	410	99654	8470170	84.70
1	0.00023	99590	23	99579	8370516	84.05
2	0.00014	99567	14	99560	8270937	83.07
3	0.00008	99553	8	99549	8171376	82.08
4	0.00011	99546	11	99540	8071827	81.09
5	0.00009	99535	9	99530	7972287	80.10
6	0.00007	99526	7	99522	7872756	79.10
7	0.00006	99518	6	99515	7773234	78.11
8	0.00005	99512	5	99510	7673719	77.11
9	0.00005	99507	5	99504	7574209	76.12
10	0.00006	99502	6	99499	7474705	75.12
11	0.00008	99496	8	99492	7375206	74.13
12	0.00010	99488	10	99483	7275714	73.13
13	0.00014	99478	14	99471	7176231	72.14
14	0.00018	99464	18	99456	7076760	71.15
15	0.00024	99447	24	99435	6977304	70.16
16	0.00029	99423	29	99408	6877870	69.18
17	0.00033	99394	33	99378	6778461	68.20
18	0.00037	99361	37	99343	6679083	67.22
19	0.00041	99324	40	99304	6579741	66.25
20	0.00044	99284	44	99262	6480437	65.27
21	0.00046	99240	46	99217	6381175	64.30
22	0.00048	99194	47	99170	6281959	63.33
23	0.00048	99146	48	99123	6182788	62.36
24	0.00048	99099	47	99075	6083666	61.39
25	0.00045	99052	44	99030	5984590	60.42
26	0.00044	99008	44	98986	5885561	59.45
27	0.00044	98964	44	98942	5786575	58.47
28	0.00045	98920	45	98898	5687633	57.50
29	0.00047	98876	46	98853	5588735	56.52
30	0.00051	98829	50	98804	5489882	55.55
31	0.00054	98779	53	98752	5391078	54.58
32	0.00057	98726	56	98698	5292326	53.61
33	0.00060	98670	59	98640	5193628	52.64
34	0.00064	98610	63	98579	5094988	51.67
35	0.00067	98547	66	98514	4996409	50.70
36	0.00072	98482	71	98446	4897894	49.73
37	0.00078	98411	77	98372	4799448	48.77
38	0.00086	98334	85	98291	4701076	47.81
39	0.00095	98249	93	98203	4602784	46.85

表1 惡性腫瘤死因除外簡易生命表(續1)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00107	98156	105	98104	4504582	45.89
41	0.00117	98051	115	97994	4406478	44.94
42	0.00127	97937	125	97875	4308484	43.99
43	0.00138	97812	135	97745	4210609	43.05
44	0.00149	97677	145	97605	4112865	42.11
45	0.00159	97532	155	97455	4015260	41.17
46	0.00170	97377	166	97294	3917805	40.23
47	0.00182	97212	177	97123	3820511	39.30
48	0.00195	97035	189	96940	3723388	38.37
49	0.00208	96846	201	96745	3626447	37.45
50	0.00223	96645	215	96537	3529702	36.52
51	0.00236	96430	228	96316	3433164	35.60
52	0.00250	96202	241	96081	3336849	34.69
53	0.00264	95961	254	95834	3240767	33.77
54	0.00279	95707	267	95574	3144933	32.86
55	0.00293	95440	280	95300	3049360	31.95
56	0.00310	95161	295	95013	2954059	31.04
57	0.00328	94866	312	94710	2859046	30.14
58	0.00349	94554	330	94389	2764336	29.24
59	0.00373	94224	351	94048	2669947	28.34
60	0.00402	93873	377	93684	2575899	27.44
61	0.00431	93496	403	93294	2482215	26.55
62	0.00463	93093	431	92877	2388921	25.66
63	0.00499	92662	462	92431	2296043	24.78
64	0.00540	92199	498	91950	2203613	23.90
65	0.00583	91701	535	91434	2111662	23.03
66	0.00639	91166	582	90875	2020228	22.16
67	0.00704	90584	638	90265	1929353	21.30
68	0.00780	89946	702	89595	1839088	20.45
69	0.00868	89244	775	88857	1749493	19.60
70	0.00973	88469	861	88039	1660636	18.77
71	0.01088	87608	953	87132	1572597	17.95
72	0.01217	86655	1055	86128	1485465	17.14
73	0.01362	85600	1166	85017	1399338	16.35
74	0.01524	84434	1287	83791	1314321	15.57
75	0.01709	83147	1421	82436	1230530	14.80
76	0.01910	81726	1561	80945	1148094	14.05
77	0.02133	80165	1710	79310	1067148	13.31
78	0.02380	78455	1867	77521	987839	12.59
79	0.02654	76588	2033	75571	910317	11.89
80	0.02958	74555	2205	73452	834746	11.20
81	0.03294	72350	2383	71158	761294	10.52
82	0.03667	69966	2566	68683	690136	9.86
83	0.04080	67400	2750	66025	621452	9.22
84	0.04537	64650	2933	63184	555427	8.59
85+	1.00000	61717	61717	492243	492243	7.98

表1 惡性腫瘤死因除外簡易生命表(續2)
民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	8182708	81.83
1M	0.00036	99704	36	8307	8174387	81.99
2M	0.00025	99668	25	8305	8166080	81.93
3M	0.00053	99644	53	24904	8157775	81.87
6M	0.00034	99591	34	49787	8132871	81.66
0	0.00443	100000	443	99624	8182708	81.83
1	0.00024	99557	24	99545	8083084	81.19
2	0.00017	99533	16	99525	7983539	80.21
3	0.00008	99517	8	99513	7884013	79.22
4	0.00012	99509	12	99503	7784500	78.23
5	0.00010	99497	10	99492	7684997	77.24
6	0.00008	99487	8	99484	7585504	76.25
7	0.00006	99480	6	99477	7486021	75.25
8	0.00004	99474	4	99472	7386544	74.26
9	0.00004	99470	4	99469	7287071	73.26
10	0.00004	99467	4	99465	7187603	72.26
11	0.00006	99463	6	99459	7088138	71.26
12	0.00010	99456	10	99451	6988679	70.27
13	0.00015	99447	15	99439	6889227	69.28
14	0.00021	99432	21	99422	6789788	68.29
15	0.00031	99411	31	99396	6690366	67.30
16	0.00038	99381	38	99362	6590970	66.32
17	0.00044	99343	44	99321	6491608	65.35
18	0.00050	99299	49	99275	6392287	64.37
19	0.00054	99250	54	99223	6293013	63.41
20	0.00058	99196	58	99167	6193790	62.44
21	0.00061	99138	60	99108	6094623	61.48
22	0.00062	99078	62	99047	5995515	60.51
23	0.00063	99016	62	98985	5896468	59.55
24	0.00063	98954	62	98923	5797483	58.59
25	0.00060	98892	59	98862	5698560	57.62
26	0.00060	98832	59	98803	5599698	56.66
27	0.00060	98773	59	98744	5500895	55.69
28	0.00062	98714	61	98684	5402152	54.73
29	0.00064	98653	63	98622	5303468	53.76
30	0.00069	98590	69	98556	5204847	52.79
31	0.00074	98521	73	98485	5106291	51.83
32	0.00078	98449	77	98410	5007806	50.87
33	0.00084	98372	82	98330	4909396	49.91
34	0.00090	98289	88	98245	4811065	48.95
35	0.00095	98201	93	98154	4712820	47.99
36	0.00104	98108	102	98057	4614666	47.04
37	0.00115	98006	113	97950	4516609	46.08
38	0.00128	97893	126	97831	4418659	45.14
39	0.00143	97768	140	97698	4320828	44.19

表1 惡性腫瘤死因除外簡易生命表(續3)
民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00164	97628	160	97548	4223130	43.26
41	0.00181	97467	177	97379	4125583	42.33
42	0.00199	97291	193	97194	4028204	41.40
43	0.00216	97097	210	96992	3931010	40.49
44	0.00233	96887	226	96774	3834017	39.57
45	0.00247	96661	239	96542	3737243	38.66
46	0.00266	96422	256	96294	3640701	37.76
47	0.00285	96166	274	96029	3544407	36.86
48	0.00306	95892	293	95745	3448378	35.96
49	0.00328	95598	313	95442	3352633	35.07
50	0.00354	95285	338	95116	3257192	34.18
51	0.00377	94947	358	94768	3162075	33.30
52	0.00399	94590	377	94401	3067307	32.43
53	0.00421	94212	396	94014	2972906	31.56
54	0.00443	93816	415	93608	2878892	30.69
55	0.00463	93400	432	93184	2785284	29.82
56	0.00486	92968	452	92742	2692099	28.96
57	0.00512	92516	474	92280	2599357	28.10
58	0.00540	92043	497	91794	2507077	27.24
59	0.00572	91545	523	91284	2415283	26.38
60	0.00609	91022	554	90745	2324000	25.53
61	0.00648	90468	586	90174	2233255	24.69
62	0.00692	89881	622	89570	2143081	23.84
63	0.00741	89259	661	88929	2053510	23.01
64	0.00796	88598	705	88245	1964582	22.17
65	0.00857	87893	753	87516	1876336	21.35
66	0.00929	87139	810	86734	1788820	20.53
67	0.01012	86329	874	85893	1702086	19.72
68	0.01106	85456	945	84983	1616193	18.91
69	0.01213	84510	1026	83998	1531210	18.12
70	0.01336	83485	1115	82927	1447213	17.34
71	0.01473	82370	1213	81763	1364286	16.56
72	0.01626	81156	1320	80497	1282523	15.80
73	0.01798	79837	1435	79119	1202026	15.06
74	0.01988	78402	1559	77622	1122907	14.32
75	0.02206	76843	1695	75995	1045285	13.60
76	0.02438	75148	1832	74231	969289	12.90
77	0.02694	73315	1975	72328	895058	12.21
78	0.02974	71340	2122	70279	822730	11.53
79	0.03283	69218	2272	68082	752451	10.87
80	0.03621	66946	2424	65734	684369	10.22
81	0.03993	64522	2576	63234	618635	9.59
82	0.04401	61945	2726	60582	555402	8.97
83	0.04849	59219	2871	57783	494819	8.36
84	0.05340	56348	3009	54843	437036	7.76
85+	1.00000	53339	53339	382193	382193	7.17

表1 惡性腫瘤死因除外簡易生命表(續4)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8763283	87.63
1M	0.00034	99751	34	8311	8754960	87.77
2M	0.00018	99717	18	8309	8746649	87.71
3M	0.00035	99699	35	24920	8738340	87.65
6M	0.00038	99664	38	49822	8713420	87.43
0	0.00374	100000	374	99686	8763283	87.63
1	0.00022	99626	22	99615	8663597	86.96
2	0.00012	99604	12	99598	8563982	85.98
3	0.00009	99592	9	99587	8464385	84.99
4	0.00010	99583	10	99578	8364797	84.00
5	0.00008	99573	8	99569	8265219	83.01
6	0.00007	99565	7	99562	8165650	82.01
7	0.00007	99558	7	99555	8066088	81.02
8	0.00007	99552	7	99548	7966533	80.02
9	0.00007	99545	7	99541	7866985	79.03
10	0.00008	99538	8	99534	7767444	78.04
11	0.00009	99530	9	99525	7667910	77.04
12	0.00011	99521	11	99515	7568385	76.05
13	0.00013	99510	12	99504	7468870	75.06
14	0.00015	99497	14	99490	7369366	74.07
15	0.00017	99483	16	99475	7269876	73.08
16	0.00019	99466	19	99457	7170401	72.09
17	0.00021	99448	21	99437	7070944	71.10
18	0.00024	99427	23	99415	6971507	70.12
19	0.00026	99403	26	99390	6872092	69.13
20	0.00029	99377	29	99363	6772702	68.15
21	0.00031	99348	31	99333	6673339	67.17
22	0.00032	99318	31	99302	6574006	66.19
23	0.00032	99287	31	99271	6474704	65.21
24	0.00031	99255	31	99240	6375433	64.23
25	0.00028	99224	28	99210	6276193	63.25
26	0.00027	99197	27	99183	6176983	62.27
27	0.00027	99169	27	99156	6077800	61.29
28	0.00027	99143	27	99129	5978644	60.30
29	0.00028	99116	28	99102	5879514	59.32
30	0.00031	99088	31	99072	5780413	58.34
31	0.00032	99057	32	99041	5681340	57.35
32	0.00034	99025	34	99008	5582299	56.37
33	0.00035	98991	35	98974	5483291	55.39
34	0.00037	98956	37	98938	5384317	54.41
35	0.00038	98920	38	98901	5285379	53.43
36	0.00040	98882	39	98862	5186478	52.45
37	0.00042	98843	42	98822	5087616	51.47
38	0.00044	98801	44	98779	4988794	50.49
39	0.00047	98757	47	98734	4890015	49.52

表1 惡性腫瘤死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00050	98710	49	98686	4791281	48.54
41	0.00054	98661	53	98634	4692595	47.56
42	0.00058	98608	57	98580	4593961	46.59
43	0.00062	98551	61	98520	4495381	45.61
44	0.00067	98490	66	98457	4396861	44.64
45	0.00073	98424	72	98388	4298404	43.67
46	0.00078	98352	77	98313	4200016	42.70
47	0.00083	98275	82	98234	4101703	41.74
48	0.00087	98193	86	98150	4003469	40.77
49	0.00092	98107	90	98062	3905318	39.81
50	0.00095	98017	93	97970	3807256	38.84
51	0.00100	97924	98	97875	3709286	37.88
52	0.00106	97826	104	97774	3611411	36.92
53	0.00112	97722	110	97667	3513637	35.96
54	0.00120	97612	117	97553	3415971	35.00
55	0.00129	97495	126	97432	3318417	34.04
56	0.00140	97369	136	97301	3220986	33.08
57	0.00152	97233	148	97159	3123685	32.13
58	0.00166	97085	161	97005	3026526	31.17
59	0.00182	96924	177	96836	2929521	30.22
60	0.00205	96747	199	96648	2832686	29.28
61	0.00225	96549	218	96440	2736038	28.34
62	0.00248	96331	239	96212	2639598	27.40
63	0.00273	96092	262	95961	2543386	26.47
64	0.00301	95830	289	95686	2447425	25.54
65	0.00329	95542	314	95385	2351739	24.61
66	0.00370	95228	352	95051	2256354	23.69
67	0.00420	94875	399	94676	2161302	22.78
68	0.00481	94476	454	94249	2066627	21.87
69	0.00553	94022	520	93762	1972377	20.98
70	0.00645	93502	603	93200	1878615	20.09
71	0.00742	92899	689	92555	1785415	19.22
72	0.00852	92210	785	91818	1692860	18.36
73	0.00977	91425	893	90979	1601043	17.51
74	0.01118	90532	1012	90026	1510064	16.68
75	0.01281	89520	1146	88947	1420038	15.86
76	0.01462	88373	1292	87727	1331092	15.06
77	0.01666	87081	1451	86356	1243364	14.28
78	0.01897	85630	1625	84818	1157008	13.51
79	0.02158	84006	1813	83099	1072190	12.76
80	0.02451	82193	2015	81186	989091	12.03
81	0.02782	80178	2231	79063	907905	11.32
82	0.03155	77948	2459	76718	828842	10.63
83	0.03575	75488	2699	74139	752124	9.96
84	0.04048	72790	2946	71316	677985	9.31
85+	1.00000	69843	69843	606668	606668	8.69

表2 心臟疾病死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8241897	82.42
1M	0.00034	99727	34	8309	8233575	82.56
2M	0.00019	99693	19	8307	8225266	82.51
3M	0.00041	99674	41	24913	8216959	82.44
6M	0.00037	99633	37	49807	8192046	82.22
0	0.00404	100000	404	99659	8241897	82.42
1	0.00023	99596	23	99585	8142239	81.75
2	0.00017	99573	17	99565	8042654	80.77
3	0.00015	99556	15	99549	7943090	79.79
4	0.00012	99541	12	99535	7843541	78.80
5	0.00010	99530	10	99525	7744005	77.81
6	0.00009	99519	9	99515	7644481	76.81
7	0.00008	99511	8	99507	7544966	75.82
8	0.00007	99503	7	99500	7445459	74.83
9	0.00007	99496	7	99493	7345960	73.83
10	0.00008	99489	8	99486	7246467	72.84
11	0.00009	99482	9	99477	7146981	71.84
12	0.00012	99473	12	99467	7047504	70.85
13	0.00015	99461	15	99454	6948037	69.86
14	0.00019	99446	19	99437	6848584	68.87
15	0.00025	99427	25	99415	6749147	67.88
16	0.00030	99402	30	99387	6649732	66.90
17	0.00034	99372	34	99355	6550345	65.92
18	0.00039	99338	38	99319	6450989	64.94
19	0.00043	99300	42	99279	6351670	63.96
20	0.00047	99258	46	99234	6252392	62.99
21	0.00049	99211	49	99187	6153158	62.02
22	0.00051	99162	50	99137	6053971	61.05
23	0.00051	99112	51	99087	5954834	60.08
24	0.00051	99061	50	99036	5855747	59.11
25	0.00048	99011	47	98987	5756710	58.14
26	0.00047	98964	47	98940	5657723	57.17
27	0.00047	98917	47	98893	5558783	56.20
28	0.00048	98870	48	98846	5459890	55.22
29	0.00050	98822	49	98797	5361044	54.25
30	0.00054	98773	53	98746	5262246	53.28
31	0.00057	98720	56	98692	5163500	52.30
32	0.00061	98664	60	98634	5064808	51.33
33	0.00065	98604	64	98572	4966174	50.36
34	0.00071	98539	70	98505	4867603	49.40
35	0.00076	98470	74	98433	4769098	48.43
36	0.00083	98396	82	98354	4670665	47.47
37	0.00093	98313	91	98268	4572311	46.51
38	0.00104	98222	102	98171	4474043	45.55
39	0.00117	98120	115	98063	4375872	44.60

表2 心臟疾病死因除外簡易生命表(續1)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00133	98005	131	97940	4277810	43.65
41	0.00148	97875	145	97802	4179870	42.71
42	0.00164	97729	160	97649	4082068	41.77
43	0.00180	97569	176	97481	3984418	40.84
44	0.00197	97393	192	97297	3886937	39.91
45	0.00213	97201	207	97098	3789640	38.99
46	0.00232	96994	225	96882	3692543	38.07
47	0.00253	96769	244	96647	3595661	37.16
48	0.00275	96525	265	96392	3499014	36.25
49	0.00298	96260	287	96116	3402622	35.35
50	0.00327	95972	313	95816	3306505	34.45
51	0.00352	95659	337	95490	3210690	33.56
52	0.00379	95322	361	95142	3115199	32.68
53	0.00405	94961	385	94769	3020058	31.80
54	0.00433	94576	409	94372	2925289	30.93
55	0.00461	94167	434	93950	2830917	30.06
56	0.00491	93733	460	93503	2736967	29.20
57	0.00523	93273	488	93030	2643464	28.34
58	0.00557	92786	517	92527	2550434	27.49
59	0.00595	92269	549	91994	2457907	26.64
60	0.00638	91720	585	91428	2365912	25.79
61	0.00682	91135	622	90824	2274485	24.96
62	0.00732	90513	662	90182	2183660	24.13
63	0.00786	89851	707	89498	2093478	23.30
64	0.00847	89144	755	88767	2003981	22.48
65	0.00910	88389	805	87987	1915214	21.67
66	0.00990	87585	867	87151	1827227	20.86
67	0.01081	86718	937	86249	1740076	20.07
68	0.01185	85781	1016	85273	1653826	19.28
69	0.01302	84764	1104	84212	1568554	18.50
70	0.01441	83661	1205	83058	1484341	17.74
71	0.01586	82455	1308	81801	1401283	16.99
72	0.01745	81148	1416	80440	1319482	16.26
73	0.01918	79732	1529	78968	1239042	15.54
74	0.02107	78203	1648	77379	1160074	14.83
75	0.02313	76555	1771	75670	1082695	14.14
76	0.02536	74785	1897	73836	1007025	13.47
77	0.02779	72888	2025	71875	933189	12.80
78	0.03042	70863	2155	69785	861314	12.15
79	0.03328	68707	2286	67564	791528	11.52
80	0.03638	66421	2416	65213	723964	10.90
81	0.03975	64005	2544	62732	658752	10.29
82	0.04341	61460	2668	60126	596019	9.70
83	0.04737	58793	2785	57400	535893	9.11
84	0.05167	56008	2894	54561	478493	8.54
85+	1.00000	53114	53114	423932	423932	7.98

表2 心臟疾病死因除外簡易生命表(續2)
民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7924334	79.24
1M	0.00034	99704	34	8307	7916013	79.40
2M	0.00023	99670	23	8305	7907706	79.34
3M	0.00049	99646	49	24905	7899401	79.27
6M	0.00034	99597	34	49790	7874496	79.06
0	0.00437	100000	437	99629	7924334	79.24
1	0.00024	99563	24	99551	7824705	78.59
2	0.00021	99540	21	99529	7725154	77.61
3	0.00018	99519	18	99510	7625625	76.63
4	0.00014	99501	14	99494	7526115	75.64
5	0.00012	99487	12	99482	7426621	74.65
6	0.00009	99476	9	99471	7327139	73.66
7	0.00007	99466	7	99463	7227668	72.66
8	0.00005	99460	5	99457	7128205	71.67
9	0.00005	99454	5	99452	7028748	70.67
10	0.00006	99449	6	99446	6929296	69.68
11	0.00008	99444	8	99440	6829850	68.68
12	0.00011	99436	11	99430	6730410	67.69
13	0.00016	99424	16	99416	6630980	66.69
14	0.00022	99408	22	99397	6531564	65.70
15	0.00032	99386	32	99370	6432167	64.72
16	0.00039	99354	39	99335	6332797	63.74
17	0.00045	99315	45	99293	6233462	62.76
18	0.00051	99270	51	99245	6134169	61.79
19	0.00056	99219	56	99191	6034925	60.82
20	0.00060	99164	60	99134	5935733	59.86
21	0.00063	99104	63	99072	5836600	58.89
22	0.00065	99041	64	99009	5737527	57.93
23	0.00066	98977	65	98944	5638518	56.97
24	0.00066	98912	65	98879	5539574	56.01
25	0.00063	98847	62	98816	5440695	55.04
26	0.00062	98785	62	98754	5341879	54.08
27	0.00063	98723	62	98692	5243125	53.11
28	0.00064	98662	63	98630	5144432	52.14
29	0.00066	98599	65	98567	5045802	51.18
30	0.00070	98534	69	98500	4947235	50.21
31	0.00074	98465	73	98429	4848735	49.24
32	0.00079	98393	78	98354	4750306	48.28
33	0.00085	98315	84	98273	4651952	47.32
34	0.00093	98231	91	98186	4553679	46.36
35	0.00099	98141	97	98092	4455493	45.40
36	0.00111	98043	108	97989	4357401	44.44
37	0.00125	97935	122	97874	4259412	43.49
38	0.00142	97813	139	97743	4161538	42.55
39	0.00161	97674	157	97595	4063795	41.61

表2 心臟疾病死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00187	97517	183	97425	3966200	40.67
41	0.00210	97334	204	97232	3868774	39.75
42	0.00232	97130	226	97017	3771542	38.83
43	0.00256	96904	248	96780	3674525	37.92
44	0.00279	96656	270	96521	3577745	37.02
45	0.00299	96386	288	96242	3481224	36.12
46	0.00326	96098	313	95942	3384981	35.22
47	0.00355	95785	340	95615	3289040	34.34
48	0.00387	95445	370	95260	3193425	33.46
49	0.00422	95075	402	94874	3098165	32.59
50	0.00465	94674	440	94454	3003290	31.72
51	0.00503	94234	474	93997	2908837	30.87
52	0.00542	93760	508	93506	2814840	30.02
53	0.00581	93252	542	92981	2721334	29.18
54	0.00621	92710	576	92422	2628354	28.35
55	0.00661	92134	609	91829	2535932	27.52
56	0.00704	91524	645	91202	2444103	26.70
57	0.00749	90880	681	90539	2352901	25.89
58	0.00797	90199	719	89840	2262361	25.08
59	0.00848	89480	759	89100	2172522	24.28
60	0.00904	88721	802	88320	2083421	23.48
61	0.00965	87919	848	87495	1995101	22.69
62	0.01032	87071	899	86621	1907606	21.91
63	0.01107	86172	954	85695	1820985	21.13
64	0.01190	85218	1014	84711	1735290	20.36
65	0.01280	84204	1078	83665	1650578	19.60
66	0.01384	83126	1151	82551	1566913	18.85
67	0.01502	81976	1231	81360	1484362	18.11
68	0.01634	80744	1319	80085	1403002	17.38
69	0.01780	79425	1414	78719	1322917	16.66
70	0.01946	78012	1518	77253	1244199	15.95
71	0.02123	76493	1624	75681	1166946	15.26
72	0.02316	74869	1734	74002	1091265	14.58
73	0.02525	73135	1847	72212	1017263	13.91
74	0.02752	71288	1962	70307	945051	13.26
75	0.02999	69326	2079	68287	874744	12.62
76	0.03264	67247	2195	66150	806457	11.99
77	0.03550	65052	2309	63897	740307	11.38
78	0.03858	62743	2421	61532	676410	10.78
79	0.04191	60322	2528	59058	614878	10.19
80	0.04550	57794	2629	56479	555820	9.62
81	0.04936	55165	2723	53803	499340	9.05
82	0.05353	52441	2807	51038	445537	8.50
83	0.05803	49634	2880	48194	394500	7.95
84	0.06287	46754	2939	45284	346306	7.41
85+	1.00000	43815	43815	301021	301021	6.87

表2 心臟疾病死因除外簡易生命表(續4)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8578998	85.79
1M	0.00033	99751	33	8311	8570675	85.92
2M	0.00014	99719	14	8309	8562364	85.87
3M	0.00033	99704	33	24922	8554055	85.79
6M	0.00041	99671	40	49826	8529133	85.57
0	0.00369	100000	369	99691	8578998	85.79
1	0.00022	99631	22	99620	8479307	85.11
2	0.00014	99609	14	99602	8379687	84.13
3	0.00011	99595	11	99590	8280085	83.14
4	0.00010	99584	10	99579	8180496	82.15
5	0.00009	99574	9	99570	8080917	81.15
6	0.00009	99565	8	99561	7981347	80.16
7	0.00008	99557	8	99553	7881785	79.17
8	0.00008	99549	8	99545	7782232	78.18
9	0.00009	99540	9	99536	7682688	77.18
10	0.00010	99532	9	99527	7583152	76.19
11	0.00011	99522	10	99517	7483625	75.20
12	0.00012	99512	12	99506	7384108	74.20
13	0.00014	99500	13	99493	7284603	73.21
14	0.00015	99486	15	99479	7185109	72.22
15	0.00017	99471	17	99462	7085631	71.23
16	0.00020	99454	20	99444	6986169	70.25
17	0.00022	99434	22	99423	6886725	69.26
18	0.00025	99411	25	99399	6787302	68.27
19	0.00028	99386	28	99373	6687903	67.29
20	0.00032	99359	32	99343	6588531	66.31
21	0.00034	99327	34	99310	6489188	65.33
22	0.00035	99293	35	99276	6389877	64.35
23	0.00035	99259	35	99241	6290601	63.38
24	0.00035	99224	35	99206	6191360	62.40
25	0.00032	99189	32	99173	6092154	61.42
26	0.00031	99157	31	99142	5992981	60.44
27	0.00031	99126	31	99111	5893839	59.46
28	0.00032	99095	32	99080	5794728	58.48
29	0.00033	99064	33	99047	5695648	57.49
30	0.00036	99031	36	99013	5596601	56.51
31	0.00039	98995	38	98976	5497588	55.53
32	0.00041	98957	41	98937	5398612	54.56
33	0.00044	98916	44	98894	5299675	53.58
34	0.00048	98872	47	98849	5200780	52.60
35	0.00051	98825	51	98800	5101932	51.63
36	0.00056	98774	55	98747	5003132	50.65
37	0.00061	98719	60	98689	4904385	49.68
38	0.00067	98659	66	98625	4805697	48.71
39	0.00074	98592	72	98556	4707071	47.74

表2 心臟疾病死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00080	98520	79	98480	4608515	46.78
41	0.00089	98441	87	98397	4510035	45.81
42	0.00097	98353	96	98306	4411638	44.85
43	0.00107	98258	105	98205	4313332	43.90
44	0.00118	98152	116	98094	4215127	42.94
45	0.00130	98037	128	97973	4117033	41.99
46	0.00142	97909	139	97840	4019060	41.05
47	0.00154	97770	150	97695	3921221	40.11
48	0.00166	97620	162	97538	3823526	39.17
49	0.00179	97457	175	97370	3725987	38.23
50	0.00193	97283	187	97189	3628617	37.30
51	0.00206	97095	200	96995	3531428	36.37
52	0.00220	96895	213	96788	3434433	35.44
53	0.00235	96682	227	96568	3337645	34.52
54	0.00250	96455	242	96334	3241076	33.60
55	0.00266	96213	256	96085	3144743	32.69
56	0.00285	95957	273	95820	3048658	31.77
57	0.00305	95684	292	95538	2952837	30.86
58	0.00328	95392	313	95235	2857300	29.95
59	0.00353	95079	336	94911	2762065	29.05
60	0.00385	94743	365	94561	2667153	28.15
61	0.00416	94378	393	94182	2572593	27.26
62	0.00450	93985	423	93774	2478411	26.37
63	0.00487	93563	455	93335	2384637	25.49
64	0.00529	93107	492	92861	2291302	24.61
65	0.00569	92615	527	92352	2198441	23.74
66	0.00626	92088	577	91800	2106089	22.87
67	0.00695	91511	636	91193	2014290	22.01
68	0.00775	90875	705	90523	1923096	21.16
69	0.00869	90171	784	89779	1832573	20.32
70	0.00984	89387	880	88947	1742794	19.50
71	0.01104	88507	977	88019	1653847	18.69
72	0.01237	87530	1082	86989	1565828	17.89
73	0.01383	86448	1196	85850	1478839	17.11
74	0.01546	85252	1318	84593	1392989	16.34
75	0.01725	83934	1448	83210	1308396	15.59
76	0.01923	82486	1586	81693	1225186	14.85
77	0.02143	80900	1733	80033	1143493	14.13
78	0.02385	79167	1888	78223	1063459	13.43
79	0.02653	77279	2050	76254	985236	12.75
80	0.02948	75229	2218	74120	908983	12.08
81	0.03275	73011	2391	71815	834863	11.43
82	0.03635	70620	2567	69336	763047	10.81
83	0.04033	68053	2745	66680	693711	10.19
84	0.04472	65308	2920	63848	627031	9.60
85+	1.00000	62388	62388	563183	563183	9.03

表3 肺炎死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8177137	81.77
1M	0.00034	99727	34	8309	8168815	81.91
2M	0.00020	99693	20	8307	8160506	81.86
3M	0.00043	99672	42	24913	8152199	81.79
6M	0.00035	99630	35	49806	8127286	81.57
0	0.00405	100000	405	99657	8177137	81.77
1	0.00022	99595	22	99584	8077480	81.10
2	0.00018	99572	18	99563	7977897	80.12
3	0.00015	99554	15	99547	7878334	79.14
4	0.00012	99539	12	99533	7778787	78.15
5	0.00010	99527	10	99522	7679253	77.16
6	0.00009	99517	9	99512	7579731	76.17
7	0.00008	99508	8	99504	7480219	75.17
8	0.00007	99500	7	99497	7380715	74.18
9	0.00007	99493	7	99490	7281218	73.18
10	0.00008	99486	8	99482	7181728	72.19
11	0.00010	99478	10	99473	7082246	71.19
12	0.00013	99468	13	99462	6982773	70.20
13	0.00016	99455	16	99447	6883311	69.21
14	0.00020	99439	20	99429	6783864	68.22
15	0.00026	99419	26	99406	6684434	67.23
16	0.00031	99393	31	99378	6585028	66.25
17	0.00036	99362	36	99345	6485650	65.27
18	0.00040	99327	40	99307	6386306	64.30
19	0.00044	99287	44	99265	6286999	63.32
20	0.00049	99243	48	99219	6187734	62.35
21	0.00051	99195	51	99170	6088514	61.38
22	0.00053	99144	52	99118	5989345	60.41
23	0.00053	99092	53	99066	5890227	59.44
24	0.00052	99040	52	99014	5791161	58.47
25	0.00050	98988	49	98963	5692147	57.50
26	0.00049	98939	49	98914	5593184	56.53
27	0.00049	98890	49	98865	5494270	55.56
28	0.00051	98841	50	98816	5395404	54.59
29	0.00053	98791	52	98765	5296588	53.61
30	0.00057	98739	56	98711	5197823	52.64
31	0.00061	98683	60	98653	5099112	51.67
32	0.00065	98623	64	98591	5000459	50.70
33	0.00071	98559	69	98524	4901868	49.74
34	0.00077	98489	76	98452	4803344	48.77
35	0.00083	98414	81	98373	4704892	47.81
36	0.00092	98332	90	98287	4606519	46.85
37	0.00102	98242	100	98192	4508232	45.89
38	0.00114	98142	112	98086	4410040	44.94
39	0.00128	98030	126	97967	4311954	43.99

表3 肺炎死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00146	97904	142	97832	4213988	43.04
41	0.00162	97761	159	97682	4116155	42.10
42	0.00180	97602	176	97515	4018474	41.17
43	0.00199	97427	194	97330	3920959	40.25
44	0.00219	97233	212	97127	3823629	39.32
45	0.00238	97021	231	96905	3726502	38.41
46	0.00260	96789	252	96664	3629597	37.50
47	0.00283	96538	274	96401	3532934	36.60
48	0.00308	96264	296	96116	3436533	35.70
49	0.00334	95968	320	95807	3340417	34.81
50	0.00363	95647	347	95474	3244610	33.92
51	0.00390	95300	372	95114	3149136	33.04
52	0.00418	94929	397	94730	3054021	32.17
53	0.00446	94532	422	94321	2959291	31.30
54	0.00476	94110	448	93886	2864971	30.44
55	0.00505	93662	473	93425	2771085	29.59
56	0.00537	93189	501	92938	2677659	28.73
57	0.00571	92688	529	92423	2584721	27.89
58	0.00608	92159	560	91879	2492297	27.04
59	0.00647	91599	593	91302	2400419	26.21
60	0.00692	91006	630	90691	2309117	25.37
61	0.00739	90376	668	90042	2218426	24.55
62	0.00791	89708	710	89353	2128384	23.73
63	0.00848	88998	755	88621	2039032	22.91
64	0.00912	88243	805	87841	1950411	22.10
65	0.00977	87438	854	87011	1862570	21.30
66	0.01060	86584	918	86125	1775559	20.51
67	0.01156	85666	990	85171	1689434	19.72
68	0.01265	84676	1071	84140	1604263	18.95
69	0.01388	83605	1161	83024	1520123	18.18
70	0.01534	82444	1264	81812	1437099	17.43
71	0.01685	81179	1368	80496	1355287	16.69
72	0.01851	79812	1477	79073	1274792	15.97
73	0.02031	78335	1591	77539	1195719	15.26
74	0.02226	76744	1708	75890	1118179	14.57
75	0.02439	75036	1830	74121	1042290	13.89
76	0.02668	73206	1953	72229	968169	13.23
77	0.02916	71253	2078	70214	895939	12.57
78	0.03185	69175	2203	68073	825725	11.94
79	0.03476	66972	2328	65808	757652	11.31
80	0.03790	64644	2450	63419	691844	10.70
81	0.04130	62194	2569	60910	628425	10.10
82	0.04498	59625	2682	58284	567515	9.52
83	0.04896	56943	2788	55549	509231	8.94
84	0.05326	54155	2884	52713	453682	8.38
85+	1.00000	51271	51271	400969	400969	7.82

表3 肺炎死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7857970	78.58
1M	0.00036	99704	36	8307	7849649	78.73
2M	0.00022	99668	22	8305	7841341	78.67
3M	0.00049	99646	49	24905	7833037	78.61
6M	0.00032	99597	32	49791	7808131	78.40
0	0.00434	100000	434	99629	7857970	78.58
1	0.00023	99566	23	99554	7758340	77.92
2	0.00021	99543	21	99532	7658786	76.94
3	0.00018	99522	18	99513	7559253	75.96
4	0.00015	99504	15	99497	7459740	74.97
5	0.00012	99490	12	99484	7360243	73.98
6	0.00009	99478	9	99473	7260759	72.99
7	0.00007	99469	7	99465	7161286	72.00
8	0.00005	99462	5	99459	7061820	71.00
9	0.00005	99457	5	99454	6962361	70.00
10	0.00006	99452	6	99449	6862907	69.01
11	0.00008	99446	8	99442	6763458	68.01
12	0.00012	99437	12	99431	6664016	67.02
13	0.00018	99425	17	99416	6564585	66.03
14	0.00024	99408	24	99396	6465168	65.04
15	0.00033	99384	33	99368	6365773	64.05
16	0.00041	99351	41	99331	6266405	63.07
17	0.00048	99310	47	99287	6167074	62.10
18	0.00053	99263	53	99237	6067788	61.13
19	0.00058	99210	58	99181	5968551	60.16
20	0.00063	99152	63	99121	5869370	59.20
21	0.00066	99090	65	99057	5770249	58.23
22	0.00068	99024	67	98991	5671192	57.27
23	0.00069	98957	68	98923	5572201	56.31
24	0.00068	98889	67	98856	5473278	55.35
25	0.00065	98822	64	98790	5374423	54.38
26	0.00065	98758	64	98726	5275632	53.42
27	0.00065	98694	64	98662	5176907	52.45
28	0.00067	98629	66	98597	5078245	51.49
29	0.00069	98564	68	98530	4979648	50.52
30	0.00075	98495	74	98459	4881119	49.56
31	0.00080	98422	78	98383	4782660	48.59
32	0.00086	98344	84	98301	4684278	47.63
33	0.00093	98259	91	98214	4585976	46.67
34	0.00102	98168	100	98118	4487763	45.72
35	0.00110	98068	108	98014	4389645	44.76
36	0.00123	97960	121	97899	4291631	43.81
37	0.00139	97839	136	97771	4193732	42.86
38	0.00158	97702	154	97625	4095961	41.92
39	0.00180	97548	175	97460	3998336	40.99

表3 肺炎死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00207	97373	202	97272	3900876	40.06
41	0.00233	97171	226	97058	3803604	39.14
42	0.00259	96945	251	96820	3706546	38.23
43	0.00287	96694	277	96555	3609726	37.33
44	0.00316	96417	304	96264	3513171	36.44
45	0.00343	96112	329	95948	3416906	35.55
46	0.00375	95783	359	95603	3320959	34.67
47	0.00409	95424	390	95229	3225355	33.80
48	0.00445	95034	423	94822	3130126	32.94
49	0.00483	94611	457	94382	3035304	32.08
50	0.00527	94154	496	93905	2940922	31.24
51	0.00568	93657	532	93391	2847016	30.40
52	0.00610	93125	568	92841	2753625	29.57
53	0.00652	92557	604	92255	2660785	28.75
54	0.00695	91953	639	91633	2568530	27.93
55	0.00739	91314	675	90976	2476896	27.13
56	0.00785	90639	712	90283	2385920	26.32
57	0.00833	89927	749	89552	2295637	25.53
58	0.00884	89178	788	88784	2206085	24.74
59	0.00938	88390	829	87975	2117301	23.95
60	0.00996	87561	872	87125	2029326	23.18
61	0.01059	86689	918	86230	1942201	22.40
62	0.01129	85771	968	85286	1855971	21.64
63	0.01206	84802	1023	84291	1770685	20.88
64	0.01292	83779	1082	83238	1686394	20.13
65	0.01384	82697	1144	82125	1603156	19.39
66	0.01491	81553	1216	80945	1521031	18.65
67	0.01612	80337	1295	79689	1440087	17.93
68	0.01746	79042	1380	78352	1360397	17.21
69	0.01896	77662	1473	76925	1282046	16.51
70	0.02063	76189	1572	75403	1205120	15.82
71	0.02246	74617	1676	73779	1129718	15.14
72	0.02446	72941	1784	72049	1055939	14.48
73	0.02664	71157	1895	70209	983890	13.83
74	0.02899	69261	2008	68257	913681	13.19
75	0.03163	67253	2127	66190	845423	12.57
76	0.03432	65126	2235	64009	779234	11.96
77	0.03720	62891	2340	61721	715225	11.37
78	0.04027	60551	2438	59332	653504	10.79
79	0.04353	58113	2530	56848	594171	10.22
80	0.04701	55583	2613	54277	537323	9.67
81	0.05072	52970	2687	51627	483046	9.12
82	0.05467	50283	2749	48909	431420	8.58
83	0.05887	47534	2798	46135	382511	8.05
84	0.06334	44736	2834	43319	336376	7.52
85+	1.00000	41902	41902	293057	293057	6.99

表3 肺炎死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8511801	85.12
1M	0.00033	99751	33	8311	8503478	85.25
2M	0.00018	99719	18	8309	8495167	85.19
3M	0.00035	99700	35	24921	8486858	85.12
6M	0.00039	99665	39	49823	8461937	84.90
0	0.00374	100000	374	99687	8511801	85.12
1	0.00022	99626	22	99615	8412114	84.44
2	0.00016	99604	16	99596	8312499	83.46
3	0.00011	99588	11	99582	8212903	82.47
4	0.00010	99577	10	99572	8113321	81.48
5	0.00009	99567	9	99563	8013749	80.49
6	0.00009	99558	9	99554	7914186	79.49
7	0.00009	99550	9	99545	7814632	78.50
8	0.00009	99541	9	99537	7715087	77.51
9	0.00009	99532	9	99527	7615550	76.51
10	0.00010	99523	10	99518	7516022	75.52
11	0.00012	99512	12	99506	7416505	74.53
12	0.00013	99501	13	99494	7316998	73.54
13	0.00015	99487	15	99480	7217504	72.55
14	0.00016	99473	16	99465	7118024	71.56
15	0.00018	99456	18	99447	7018560	70.57
16	0.00020	99438	20	99428	6919112	69.58
17	0.00023	99418	22	99407	6819684	68.60
18	0.00026	99396	26	99383	6720277	67.61
19	0.00029	99370	29	99356	6620894	66.63
20	0.00033	99341	32	99325	6521538	65.65
21	0.00035	99309	35	99292	6422212	64.67
22	0.00036	99274	36	99257	6322921	63.69
23	0.00036	99239	36	99221	6223664	62.71
24	0.00036	99203	35	99185	6124444	61.74
25	0.00033	99167	33	99151	6025259	60.76
26	0.00032	99134	32	99118	5926108	59.78
27	0.00032	99102	32	99086	5826990	58.80
28	0.00033	99070	33	99054	5727903	57.82
29	0.00034	99038	34	99021	5628849	56.84
30	0.00038	99003	37	98985	5529829	55.85
31	0.00040	98966	40	98946	5430844	54.88
32	0.00043	98926	43	98905	5331898	53.90
33	0.00047	98883	46	98860	5232993	52.92
34	0.00051	98837	50	98812	5134133	51.95
35	0.00055	98787	54	98760	5035321	50.97
36	0.00060	98733	59	98703	4936561	50.00
37	0.00065	98674	64	98642	4837858	49.03
38	0.00071	98610	70	98574	4739216	48.06
39	0.00078	98539	77	98501	4640642	47.09

表3 肺炎死因除外簡易生命表(續完)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00085	98462	84	98420	4542141	46.13
41	0.00094	98378	92	98332	4443721	45.17
42	0.00103	98286	101	98235	4345389	44.21
43	0.00114	98184	111	98129	4247154	43.26
44	0.00125	98073	122	98012	4149025	42.31
45	0.00138	97951	135	97883	4051014	41.36
46	0.00150	97815	147	97742	3953131	40.41
47	0.00163	97668	159	97589	3855389	39.47
48	0.00176	97509	172	97423	3757800	38.54
49	0.00189	97337	184	97245	3660377	37.61
50	0.00204	97153	198	97054	3563132	36.68
51	0.00218	96955	211	96850	3466078	35.75
52	0.00232	96744	224	96632	3369229	34.83
53	0.00247	96520	239	96400	3272597	33.91
54	0.00263	96281	253	96154	3176197	32.99
55	0.00280	96028	269	95893	3080042	32.07
56	0.00299	95759	286	95616	2984149	31.16
57	0.00320	95473	306	95320	2888533	30.25
58	0.00344	95167	327	95004	2793213	29.35
59	0.00371	94840	352	94664	2698209	28.45
60	0.00405	94489	383	94297	2603545	27.55
61	0.00438	94106	412	93900	2509248	26.66
62	0.00474	93694	444	93471	2415348	25.78
63	0.00514	93249	479	93010	2321877	24.90
64	0.00559	92770	519	92511	2228867	24.03
65	0.00602	92251	556	91973	2136356	23.16
66	0.00665	91695	610	91391	2044383	22.30
67	0.00739	91086	673	90749	1952992	21.44
68	0.00826	90413	747	90039	1862243	20.60
69	0.00928	89665	832	89249	1772204	19.76
70	0.01055	88834	937	88365	1682955	18.95
71	0.01182	87896	1039	87376	1594590	18.14
72	0.01322	86857	1148	86283	1507214	17.35
73	0.01474	85709	1264	85077	1420931	16.58
74	0.01642	84445	1386	83752	1335854	15.82
75	0.01821	83059	1513	82303	1252102	15.07
76	0.02026	81546	1652	80720	1169799	14.35
77	0.02254	79894	1801	78993	1089079	13.63
78	0.02507	78093	1958	77114	1010085	12.93
79	0.02788	76135	2122	75074	932971	12.25
80	0.03099	74013	2293	72866	857898	11.59
81	0.03444	71719	2470	70484	785032	10.95
82	0.03826	69250	2649	67925	714547	10.32
83	0.04249	66600	2830	65185	646622	9.71
84	0.04718	63770	3009	62266	581437	9.12
85+	1.00000	60761	60761	519172	519172	8.54

表4 腦血管疾病死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8167160	81.67
1M	0.00034	99727	34	8309	8158838	81.81
2M	0.00022	99693	22	8307	8150529	81.76
3M	0.00045	99671	45	24912	8142222	81.69
6M	0.00037	99626	37	49804	8117310	81.48
0	0.00410	100000	410	99654	8167160	81.67
1	0.00024	99590	24	99578	8067506	81.01
2	0.00018	99566	18	99557	7967928	80.03
3	0.00015	99547	15	99540	7868372	79.04
4	0.00012	99533	12	99527	7768832	78.05
5	0.00010	99521	10	99516	7669305	77.06
6	0.00009	99511	9	99507	7569789	76.07
7	0.00008	99502	8	99498	7470282	75.08
8	0.00007	99495	7	99491	7370784	74.08
9	0.00007	99488	7	99484	7271293	73.09
10	0.00008	99481	8	99476	7171809	72.09
11	0.00010	99472	10	99467	7072332	71.10
12	0.00013	99462	13	99456	6972865	70.11
13	0.00016	99450	16	99442	6873408	69.11
14	0.00020	99434	20	99424	6773967	68.13
15	0.00026	99413	26	99401	6674543	67.14
16	0.00031	99388	31	99372	6575143	66.16
17	0.00036	99357	35	99339	6475770	65.18
18	0.00040	99321	40	99302	6376431	64.20
19	0.00044	99282	43	99260	6277130	63.23
20	0.00048	99238	48	99214	6177870	62.25
21	0.00051	99190	50	99165	6078655	61.28
22	0.00052	99140	52	99114	5979490	60.31
23	0.00053	99088	52	99062	5880376	59.34
24	0.00052	99036	52	99010	5781313	58.38
25	0.00049	98984	49	98960	5682303	57.41
26	0.00049	98936	48	98912	5583343	56.43
27	0.00049	98887	49	98863	5484431	55.46
28	0.00050	98839	50	98814	5385568	54.49
29	0.00052	98789	52	98763	5286754	53.52
30	0.00057	98738	56	98710	5187990	52.54
31	0.00061	98682	60	98652	5089281	51.57
32	0.00065	98622	64	98590	4990629	50.60
33	0.00070	98558	69	98523	4892039	49.64
34	0.00076	98489	75	98452	4793516	48.67
35	0.00081	98414	80	98375	4695064	47.71
36	0.00089	98335	88	98291	4596689	46.75
37	0.00099	98247	97	98198	4498399	45.79
38	0.00111	98149	109	98095	4400200	44.83
39	0.00124	98041	122	97980	4302105	43.88

表4 腦血管疾病死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00140	97919	138	97850	4204125	42.93
41	0.00156	97782	153	97705	4106275	41.99
42	0.00173	97629	169	97544	4008570	41.06
43	0.00191	97460	186	97367	3911025	40.13
44	0.00210	97274	204	97171	3813659	39.21
45	0.00228	97069	221	96959	3716487	38.29
46	0.00249	96848	241	96727	3619529	37.37
47	0.00272	96607	263	96475	3522801	36.47
48	0.00296	96344	285	96201	3426326	35.56
49	0.00321	96059	309	95905	3330125	34.67
50	0.00351	95750	336	95582	3234220	33.78
51	0.00378	95415	361	95234	3138638	32.89
52	0.00405	95054	385	94861	3043403	32.02
53	0.00433	94669	410	94464	2948542	31.15
54	0.00462	94259	435	94041	2854078	30.28
55	0.00490	93823	460	93593	2760037	29.42
56	0.00521	93364	487	93120	2666444	28.56
57	0.00555	92877	515	92619	2573324	27.71
58	0.00591	92361	546	92088	2480705	26.86
59	0.00630	91815	579	91526	2388616	26.02
60	0.00676	91237	617	90928	2297090	25.18
61	0.00723	90620	655	90292	2206162	24.35
62	0.00774	89965	696	89616	2115870	23.52
63	0.00830	89268	741	88898	2026254	22.70
64	0.00893	88527	790	88132	1937356	21.88
65	0.00957	87737	840	87317	1849224	21.08
66	0.01038	86897	902	86446	1761907	20.28
67	0.01132	85995	973	85508	1675461	19.48
68	0.01239	85021	1053	84494	1589954	18.70
69	0.01360	83968	1142	83397	1505459	17.93
70	0.01501	82826	1243	82204	1422062	17.17
71	0.01652	81583	1348	80909	1339858	16.42
72	0.01820	80235	1460	79505	1258950	15.69
73	0.02004	78775	1578	77985	1179445	14.97
74	0.02205	77196	1702	76345	1101459	14.27
75	0.02430	75494	1835	74576	1025114	13.58
76	0.02668	73659	1965	72677	950538	12.90
77	0.02925	71694	2097	70646	877861	12.24
78	0.03203	69597	2229	68483	807216	11.60
79	0.03504	67368	2361	66188	738733	10.97
80	0.03830	65008	2490	63763	672545	10.35
81	0.04182	62518	2615	61211	608782	9.74
82	0.04563	59904	2733	58537	547571	9.14
83	0.04975	57170	2844	55748	489035	8.55
84	0.05420	54326	2944	52854	433287	7.98
85+	1.00000	51382	51382	380433	380433	7.40

表4 腦血管疾病死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7848782	78.49
1M	0.00034	99704	34	8307	7840461	78.64
2M	0.00025	99670	25	8305	7832154	78.58
3M	0.00053	99645	53	24905	7823849	78.52
6M	0.00034	99592	34	49788	7798944	78.31
0	0.00442	100000	442	99625	7848782	78.49
1	0.00025	99558	25	99546	7749157	77.84
2	0.00021	99534	21	99523	7649611	76.85
3	0.00018	99513	18	99504	7550087	75.87
4	0.00014	99495	14	99488	7450583	74.88
5	0.00011	99482	11	99476	7351095	73.89
6	0.00009	99470	9	99466	7251619	72.90
7	0.00007	99462	7	99458	7152153	71.91
8	0.00005	99455	5	99452	7052694	70.91
9	0.00005	99450	5	99447	6953242	69.92
10	0.00006	99445	6	99442	6853794	68.92
11	0.00008	99439	8	99435	6754352	67.92
12	0.00012	99431	12	99424	6654918	66.93
13	0.00018	99418	18	99409	6555493	65.94
14	0.00025	99400	25	99388	6456084	64.95
15	0.00033	99375	33	99359	6356696	63.97
16	0.00041	99343	41	99322	6257337	62.99
17	0.00048	99302	48	99278	6158015	62.01
18	0.00054	99254	54	99228	6058736	61.04
19	0.00059	99201	59	99171	5959509	60.08
20	0.00063	99142	62	99111	5860337	59.11
21	0.00066	99080	65	99047	5761227	58.15
22	0.00067	99015	67	98982	5662179	57.19
23	0.00068	98948	67	98915	5563198	56.22
24	0.00068	98881	67	98848	5464283	55.26
25	0.00065	98814	64	98782	5365435	54.30
26	0.00064	98750	63	98719	5266653	53.33
27	0.00065	98687	64	98655	5167934	52.37
28	0.00066	98623	65	98590	5069279	51.40
29	0.00069	98558	68	98524	4970689	50.43
30	0.00075	98490	74	98453	4872165	49.47
31	0.00080	98416	78	98377	4773713	48.51
32	0.00085	98338	84	98296	4675336	47.54
33	0.00093	98254	91	98208	4577040	46.58
34	0.00101	98163	99	98113	4478832	45.63
35	0.00108	98064	106	98011	4380718	44.67
36	0.00121	97958	118	97898	4282708	43.72
37	0.00136	97839	133	97773	4184809	42.77
38	0.00154	97706	150	97631	4087037	41.83
39	0.00174	97556	170	97472	3989405	40.89

表4 腦血管疾病死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00200	97387	195	97289	3891934	39.96
41	0.00224	97192	218	97083	3794644	39.04
42	0.00249	96974	242	96853	3697561	38.13
43	0.00276	96732	267	96599	3600708	37.22
44	0.00303	96465	293	96319	3504109	36.33
45	0.00329	96173	316	96015	3407790	35.43
46	0.00360	95856	345	95684	3311776	34.55
47	0.00393	95512	375	95324	3216092	33.67
48	0.00429	95136	408	94932	3120768	32.80
49	0.00466	94729	442	94508	3025836	31.94
50	0.00511	94287	482	94046	2931328	31.09
51	0.00551	93805	517	93546	2837282	30.25
52	0.00592	93288	552	93012	2743736	29.41
53	0.00633	92736	587	92442	2650724	28.58
54	0.00674	92149	621	91838	2558281	27.76
55	0.00715	91527	655	91200	2466443	26.95
56	0.00760	90873	690	90528	2375243	26.14
57	0.00807	90182	727	89819	2284715	25.33
58	0.00857	89455	766	89072	2194897	24.54
59	0.00910	88689	807	88285	2105825	23.74
60	0.00970	87881	853	87455	2017540	22.96
61	0.01033	87029	899	86579	1930084	22.18
62	0.01102	86129	949	85655	1843505	21.40
63	0.01178	85180	1003	84679	1757851	20.64
64	0.01262	84177	1062	83646	1673172	19.88
65	0.01349	83115	1121	82554	1589526	19.12
66	0.01455	81994	1193	81397	1506972	18.38
67	0.01576	80801	1273	80164	1425574	17.64
68	0.01712	79528	1362	78847	1345410	16.92
69	0.01865	78166	1458	77437	1266563	16.20
70	0.02041	76708	1566	75925	1189127	15.50
71	0.02228	75142	1674	74305	1113202	14.81
72	0.02432	73468	1786	72575	1038897	14.14
73	0.02653	71682	1902	70731	966322	13.48
74	0.02894	69780	2019	68770	895591	12.83
75	0.03158	67760	2140	66690	826821	12.20
76	0.03437	65620	2256	64493	760130	11.58
77	0.03738	63365	2368	62181	695638	10.98
78	0.04061	60996	2477	59758	633457	10.39
79	0.04409	58519	2580	57229	573699	9.80
80	0.04782	55939	2675	54602	516470	9.23
81	0.05184	53264	2761	51884	461868	8.67
82	0.05615	50503	2836	49085	409984	8.12
83	0.06079	47667	2897	46219	360899	7.57
84	0.06576	44770	2944	43298	314681	7.03
85+	1.00000	41826	41826	271383	271383	6.49

表4 腦血管疾病死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8503785	85.04
1M	0.00034	99751	34	8311	8495462	85.17
2M	0.00018	99717	18	8309	8487151	85.11
3M	0.00037	99699	37	24920	8478842	85.04
6M	0.00039	99662	39	49821	8453922	84.83
0	0.00377	100000	377	99685	8503785	85.04
1	0.00023	99623	23	99612	8404100	84.36
2	0.00016	99600	16	99592	8304489	83.38
3	0.00011	99584	11	99579	8204897	82.39
4	0.00010	99573	10	99568	8105318	81.40
5	0.00009	99563	9	99559	8005750	80.41
6	0.00009	99555	9	99550	7906191	79.42
7	0.00009	99546	9	99542	7806641	78.42
8	0.00009	99537	9	99533	7707099	77.43
9	0.00009	99528	9	99524	7607566	76.44
10	0.00010	99519	10	99514	7508043	75.44
11	0.00012	99508	12	99503	7408529	74.45
12	0.00013	99497	13	99491	7309026	73.46
13	0.00014	99484	14	99477	7209536	72.47
14	0.00016	99470	16	99462	7110059	71.48
15	0.00018	99454	18	99445	7010597	70.49
16	0.00020	99436	20	99426	6911152	69.50
17	0.00022	99416	22	99405	6811726	68.52
18	0.00025	99394	25	99382	6712321	67.53
19	0.00028	99369	28	99355	6612939	66.55
20	0.00032	99342	32	99325	6513584	65.57
21	0.00035	99309	34	99292	6414258	64.59
22	0.00036	99275	35	99257	6314966	63.61
23	0.00036	99240	36	99222	6215709	62.63
24	0.00036	99204	35	99186	6116487	61.66
25	0.00033	99168	32	99152	6017301	60.68
26	0.00032	99136	32	99120	5918149	59.70
27	0.00032	99104	32	99088	5819029	58.72
28	0.00033	99072	33	99056	5719941	57.74
29	0.00034	99040	34	99023	5620885	56.75
30	0.00038	99006	37	98987	5521863	55.77
31	0.00040	98969	40	98949	5422875	54.79
32	0.00043	98929	42	98908	5323927	53.82
33	0.00046	98886	46	98864	5225019	52.84
34	0.00050	98841	49	98816	5126155	51.86
35	0.00053	98792	53	98766	5027339	50.89
36	0.00058	98739	57	98711	4928573	49.91
37	0.00063	98682	62	98651	4829862	48.94
38	0.00069	98620	68	98587	4731211	47.97
39	0.00075	98553	74	98516	4632624	47.01

表4 腦血管疾病死因除外簡易生命表(續完)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00082	98479	81	98438	4534109	46.04
41	0.00090	98398	89	98354	4435670	45.08
42	0.00099	98309	97	98260	4337317	44.12
43	0.00109	98212	107	98158	4239056	43.16
44	0.00119	98105	117	98046	4140898	42.21
45	0.00131	97988	129	97923	4042852	41.26
46	0.00143	97859	140	97789	3944928	40.31
47	0.00156	97719	152	97643	3847140	39.37
48	0.00168	97567	164	97485	3749497	38.43
49	0.00181	97402	177	97314	3652012	37.49
50	0.00196	97226	190	97131	3554698	36.56
51	0.00210	97035	204	96933	3457568	35.63
52	0.00225	96832	217	96723	3360634	34.71
53	0.00240	96614	232	96498	3263911	33.78
54	0.00256	96382	247	96259	3167413	32.86
55	0.00273	96136	262	96005	3071154	31.95
56	0.00292	95873	280	95733	2975150	31.03
57	0.00313	95593	300	95444	2879416	30.12
58	0.00337	95294	321	95133	2783972	29.21
59	0.00364	94972	346	94800	2688839	28.31
60	0.00398	94627	377	94438	2594040	27.41
61	0.00431	94250	406	94047	2499601	26.52
62	0.00466	93844	437	93626	2405554	25.63
63	0.00506	93407	472	93171	2311928	24.75
64	0.00550	92934	511	92679	2218758	23.87
65	0.00596	92423	551	92148	2126079	23.00
66	0.00655	91872	602	91571	2033931	22.14
67	0.00726	91270	662	90939	1942360	21.28
68	0.00808	90608	732	90242	1851421	20.43
69	0.00902	89876	811	89471	1761179	19.60
70	0.01014	89065	903	88614	1671708	18.77
71	0.01138	88162	1003	87661	1583094	17.96
72	0.01277	87159	1113	86603	1495434	17.16
73	0.01433	86046	1233	85430	1408831	16.37
74	0.01608	84813	1363	84132	1323401	15.60
75	0.01808	83450	1508	82696	1239270	14.85
76	0.02021	81941	1656	81114	1156574	14.11
77	0.02255	80286	1811	79380	1075460	13.40
78	0.02514	78475	1973	77489	996080	12.69
79	0.02798	76502	2140	75432	918591	12.01
80	0.03111	74362	2313	73206	843159	11.34
81	0.03454	72049	2489	70805	769953	10.69
82	0.03833	69560	2666	68227	699149	10.05
83	0.04248	66894	2842	65473	630922	9.43
84	0.04705	64052	3014	62546	565448	8.83
85+	1.00000	61039	61039	502903	502903	8.24

表5 糖尿病死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8160643	81.61
1M	0.00035	99727	35	8309	8152321	81.75
2M	0.00022	99692	22	8307	8144012	81.69
3M	0.00045	99671	45	24912	8135705	81.63
6M	0.00037	99626	37	49803	8110793	81.41
0	0.00412	100000	412	99653	8160643	81.61
1	0.00024	99588	24	99576	8060990	80.94
2	0.00018	99565	18	99555	7961413	79.96
3	0.00015	99546	15	99539	7861858	78.98
4	0.00012	99532	12	99525	7762319	77.99
5	0.00011	99519	11	99514	7662794	77.00
6	0.00009	99509	9	99504	7563280	76.01
7	0.00008	99500	8	99496	7463776	75.01
8	0.00007	99492	7	99488	7364280	74.02
9	0.00007	99485	7	99481	7264792	73.02
10	0.00008	99478	8	99474	7165311	72.03
11	0.00010	99469	10	99464	7065837	71.04
12	0.00013	99459	13	99453	6966373	70.04
13	0.00016	99447	16	99439	6866920	69.05
14	0.00020	99431	20	99421	6767481	68.06
15	0.00026	99410	26	99398	6668060	67.08
16	0.00031	99385	31	99369	6568663	66.09
17	0.00036	99354	35	99336	6469293	65.11
18	0.00040	99318	40	99299	6369957	64.14
19	0.00044	99279	44	99257	6270659	63.16
20	0.00048	99235	48	99211	6171402	62.19
21	0.00051	99187	50	99162	6072191	61.22
22	0.00052	99136	52	99110	5973029	60.25
23	0.00053	99084	53	99058	5873919	59.28
24	0.00052	99032	52	99006	5774861	58.31
25	0.00050	98980	49	98956	5675855	57.34
26	0.00049	98931	49	98907	5576899	56.37
27	0.00049	98882	49	98858	5477993	55.40
28	0.00051	98833	50	98808	5379135	54.43
29	0.00053	98783	52	98757	5280326	53.45
30	0.00057	98731	56	98703	5181569	52.48
31	0.00060	98675	60	98645	5082866	51.51
32	0.00065	98616	64	98584	4984220	50.54
33	0.00070	98552	69	98517	4885637	49.57
34	0.00076	98483	75	98445	4787120	48.61
35	0.00082	98408	81	98367	4688675	47.65
36	0.00091	98327	89	98282	4590307	46.68
37	0.00101	98237	99	98188	4492025	45.73
38	0.00113	98138	111	98083	4393837	44.77
39	0.00127	98027	124	97965	4295755	43.82

表5 糖尿病死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00143	97903	140	97833	4197789	42.88
41	0.00159	97763	156	97686	4099956	41.94
42	0.00177	97608	172	97522	4002270	41.00
43	0.00195	97435	190	97340	3904749	40.08
44	0.00214	97246	208	97141	3807408	39.15
45	0.00234	97037	227	96924	3710267	38.24
46	0.00255	96811	247	96687	3613343	37.32
47	0.00278	96564	268	96429	3516656	36.42
48	0.00302	96295	291	96150	3420226	35.52
49	0.00327	96005	314	95848	3324077	34.62
50	0.00356	95691	340	95520	3228229	33.74
51	0.00382	95350	364	95168	3132709	32.85
52	0.00409	94986	389	94792	3037541	31.98
53	0.00437	94597	413	94391	2942749	31.11
54	0.00465	94184	438	93965	2848358	30.24
55	0.00493	93746	462	93515	2754393	29.38
56	0.00524	93284	489	93040	2660878	28.52
57	0.00557	92795	517	92537	2567838	27.67
58	0.00593	92278	547	92005	2475302	26.82
59	0.00631	91731	579	91442	2383297	25.98
60	0.00676	91152	616	90844	2291855	25.14
61	0.00722	90536	654	90209	2201011	24.31
62	0.00773	89882	695	89535	2110802	23.48
63	0.00829	89187	739	88818	2021267	22.66
64	0.00891	88448	788	88054	1932450	21.85
65	0.00956	87660	838	87241	1844396	21.04
66	0.01037	86821	900	86371	1757155	20.24
67	0.01129	85921	970	85436	1670784	19.45
68	0.01234	84951	1049	84427	1585348	18.66
69	0.01353	83902	1136	83335	1500921	17.89
70	0.01492	82767	1235	82149	1417586	17.13
71	0.01640	81532	1337	80863	1335437	16.38
72	0.01803	80194	1446	79471	1254574	15.64
73	0.01983	78748	1561	77967	1175103	14.92
74	0.02179	77186	1682	76345	1097136	14.21
75	0.02396	75504	1809	74600	1020791	13.52
76	0.02631	73695	1939	72725	946191	12.84
77	0.02888	71756	2072	70720	873466	12.17
78	0.03168	69684	2208	68580	802746	11.52
79	0.03474	67476	2344	66304	734166	10.88
80	0.03808	65132	2480	63892	667862	10.25
81	0.04172	62651	2614	61344	603971	9.64
82	0.04570	60037	2743	58666	542626	9.04
83	0.05003	57294	2866	55861	483961	8.45
84	0.05475	54428	2980	52938	428100	7.87
85+	1.00000	51448	51448	375162	375162	7.29

表5 糖尿病死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7833442	78.33
1M	0.00036	99704	36	8307	7825121	78.48
2M	0.00025	99668	25	8305	7816814	78.43
3M	0.00053	99644	53	24904	7808509	78.36
6M	0.00034	99591	34	49787	7783605	78.16
0	0.00443	100000	443	99624	7833442	78.33
1	0.00025	99557	25	99545	7733818	77.68
2	0.00021	99533	21	99522	7634273	76.70
3	0.00018	99512	18	99503	7534751	75.72
4	0.00015	99494	15	99487	7435248	74.73
5	0.00012	99479	12	99474	7335761	73.74
6	0.00009	99468	9	99463	7236288	72.75
7	0.00007	99458	7	99455	7136825	71.76
8	0.00005	99452	5	99449	7037370	70.76
9	0.00005	99446	5	99444	6937921	69.77
10	0.00006	99441	6	99438	6838477	68.77
11	0.00008	99435	8	99431	6739038	67.77
12	0.00012	99427	12	99421	6639607	66.78
13	0.00018	99415	17	99406	6540186	65.79
14	0.00024	99397	24	99385	6440780	64.80
15	0.00033	99374	33	99357	6341395	63.81
16	0.00041	99341	41	99321	6242037	62.83
17	0.00047	99300	47	99277	6142717	61.86
18	0.00053	99253	53	99227	6043440	60.89
19	0.00058	99200	58	99171	5944213	59.92
20	0.00063	99143	62	99111	5845042	58.96
21	0.00066	99080	65	99048	5745930	57.99
22	0.00068	99015	67	98982	5646883	57.03
23	0.00068	98948	68	98914	5547901	56.07
24	0.00068	98881	67	98847	5448987	55.11
25	0.00065	98814	64	98782	5350139	54.14
26	0.00065	98750	64	98718	5251358	53.18
27	0.00065	98686	64	98654	5152640	52.21
28	0.00067	98622	66	98589	5053986	51.25
29	0.00069	98556	68	98522	4955397	50.28
30	0.00075	98488	74	98451	4856875	49.31
31	0.00080	98414	79	98375	4758424	48.35
32	0.00086	98336	84	98294	4660049	47.39
33	0.00093	98251	91	98206	4561755	46.43
34	0.00102	98160	100	98110	4463550	45.47
35	0.00109	98060	107	98007	4365439	44.52
36	0.00122	97953	119	97893	4267433	43.57
37	0.00137	97834	134	97766	4169539	42.62
38	0.00156	97699	152	97623	4071773	41.68
39	0.00176	97547	172	97461	3974150	40.74

表5 糖尿病死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00203	97375	198	97276	3876688	39.81
41	0.00228	97177	221	97067	3779412	38.89
42	0.00254	96956	246	96833	3682345	37.98
43	0.00281	96710	272	96574	3585513	37.07
44	0.00309	96438	298	96289	3488939	36.18
45	0.00335	96140	323	95979	3392649	35.29
46	0.00367	95818	352	95642	3296670	34.41
47	0.00400	95466	382	95275	3201029	33.53
48	0.00436	95084	415	94877	3105753	32.66
49	0.00474	94669	448	94445	3010877	31.80
50	0.00517	94221	488	93977	2916432	30.95
51	0.00558	93733	523	93472	2822455	30.11
52	0.00598	93211	557	92932	2728983	29.28
53	0.00639	92653	592	92357	2636051	28.45
54	0.00680	92061	626	91748	2543693	27.63
55	0.00722	91435	660	91105	2451945	26.82
56	0.00766	90775	695	90427	2360840	26.01
57	0.00813	90080	732	89714	2270413	25.20
58	0.00862	89348	770	88962	2180699	24.41
59	0.00915	88577	811	88172	2091737	23.61
60	0.00973	87766	854	87339	2003565	22.83
61	0.01036	86912	901	86462	1916225	22.05
62	0.01106	86011	951	85536	1829764	21.27
63	0.01183	85060	1006	84557	1744228	20.51
64	0.01268	84054	1066	83522	1659671	19.75
65	0.01360	82989	1129	82424	1576149	18.99
66	0.01467	81860	1201	81260	1493725	18.25
67	0.01587	80659	1280	80019	1412465	17.51
68	0.01721	79379	1366	78696	1332446	16.79
69	0.01870	78013	1459	77284	1253750	16.07
70	0.02039	76554	1561	75774	1176466	15.37
71	0.02222	74994	1666	74160	1100692	14.68
72	0.02424	73327	1777	72438	1026532	14.00
73	0.02645	71550	1893	70603	954093	13.33
74	0.02887	69657	2011	68651	883490	12.68
75	0.03156	67646	2135	66578	814839	12.05
76	0.03442	65511	2255	64383	748260	11.42
77	0.03752	63256	2373	62069	683877	10.81
78	0.04088	60882	2489	59638	621808	10.21
79	0.04452	58393	2600	57094	562170	9.63
80	0.04847	55794	2704	54442	505076	9.05
81	0.05274	53090	2800	51690	450635	8.49
82	0.05736	50290	2885	48847	398945	7.93
83	0.06236	47405	2956	45927	350097	7.39
84	0.06778	44449	3013	42942	304171	6.84
85+	1.00000	41436	41436	261228	261228	6.30

表5 糖尿病死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8509895	85.10
1M	0.00034	99751	34	8311	8501572	85.23
2M	0.00018	99717	18	8309	8493261	85.17
3M	0.00037	99699	37	24920	8484952	85.11
6M	0.00041	99662	40	49821	8460032	84.89
0	0.00378	100000	378	99684	8509895	85.10
1	0.00023	99622	23	99610	8410211	84.42
2	0.00016	99599	16	99591	8310600	83.44
3	0.00011	99583	11	99577	8211010	82.45
4	0.00010	99572	10	99567	8111432	81.46
5	0.00009	99562	9	99558	8011865	80.47
6	0.00009	99553	9	99548	7912308	79.48
7	0.00009	99544	9	99539	7812759	78.49
8	0.00009	99535	9	99530	7713220	77.49
9	0.00009	99526	9	99521	7613690	76.50
10	0.00010	99516	10	99511	7514169	75.51
11	0.00012	99506	12	99500	7414658	74.51
12	0.00013	99494	13	99488	7315158	73.52
13	0.00015	99481	15	99474	7215670	72.53
14	0.00016	99466	16	99458	7116197	71.54
15	0.00018	99450	18	99441	7016739	70.56
16	0.00020	99432	20	99422	6917298	69.57
17	0.00023	99412	22	99401	6817876	68.58
18	0.00026	99389	26	99377	6718475	67.60
19	0.00029	99364	29	99349	6619099	66.61
20	0.00033	99335	32	99319	6519749	65.63
21	0.00035	99303	35	99285	6420430	64.66
22	0.00036	99268	36	99250	6321145	63.68
23	0.00036	99232	36	99214	6221895	62.70
24	0.00036	99196	35	99178	6122681	61.72
25	0.00034	99161	34	99144	6023502	60.74
26	0.00033	99127	32	99111	5924358	59.77
27	0.00032	99095	32	99079	5825248	58.78
28	0.00033	99063	33	99046	5726169	57.80
29	0.00035	99030	35	99012	5627123	56.82
30	0.00037	98995	37	98976	5528110	55.84
31	0.00040	98958	39	98938	5429134	54.86
32	0.00043	98919	42	98898	5330196	53.88
33	0.00046	98876	45	98854	5231298	52.91
34	0.00050	98831	49	98806	5132444	51.93
35	0.00054	98782	54	98755	5033638	50.96
36	0.00059	98728	59	98699	4934883	49.98
37	0.00065	98669	64	98637	4836185	49.01
38	0.00071	98605	70	98570	4737547	48.05
39	0.00078	98535	76	98497	4638977	47.08

表5 糖尿病死因除外簡易生命表(續完)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00084	98459	83	98418	4540480	46.12
41	0.00092	98376	91	98331	4442062	45.15
42	0.00101	98285	100	98235	4343732	44.20
43	0.00112	98186	110	98131	4245496	43.24
44	0.00123	98076	120	98016	4147365	42.29
45	0.00136	97956	133	97889	4049349	41.34
46	0.00148	97823	145	97750	3951460	40.39
47	0.00160	97678	157	97600	3853710	39.45
48	0.00173	97521	169	97437	3756110	38.52
49	0.00186	97353	181	97262	3658673	37.58
50	0.00199	97172	193	97075	3561411	36.65
51	0.00212	96979	206	96876	3464335	35.72
52	0.00226	96773	219	96663	3367460	34.80
53	0.00241	96554	233	96437	3270797	33.88
54	0.00256	96321	247	96198	3174359	32.96
55	0.00272	96074	262	95943	3078162	32.04
56	0.00291	95812	279	95673	2982219	31.13
57	0.00312	95533	298	95385	2886546	30.22
58	0.00335	95236	319	95076	2791161	29.31
59	0.00361	94917	343	94745	2696085	28.40
60	0.00395	94574	373	94387	2601340	27.51
61	0.00426	94200	402	94000	2506953	26.61
62	0.00461	93799	432	93583	2412953	25.72
63	0.00499	93367	466	93134	2319370	24.84
64	0.00542	92901	503	92649	2226237	23.96
65	0.00584	92398	539	92128	2133587	23.09
66	0.00642	91858	590	91563	2041459	22.22
67	0.00711	91269	648	90944	1949896	21.36
68	0.00791	90620	717	90262	1858951	20.51
69	0.00885	89903	795	89506	1768690	19.67
70	0.01000	89108	891	88662	1679184	18.84
71	0.01120	88217	988	87723	1590522	18.03
72	0.01253	87229	1093	86682	1502799	17.23
73	0.01401	86136	1207	85532	1416116	16.44
74	0.01566	84929	1330	84264	1330584	15.67
75	0.01748	83599	1461	82868	1246320	14.91
76	0.01952	82138	1603	81336	1163452	14.16
77	0.02179	80535	1755	79657	1082116	13.44
78	0.02431	78780	1915	77822	1002458	12.72
79	0.02712	76865	2085	75823	924636	12.03
80	0.03024	74780	2262	73650	848813	11.35
81	0.03371	72519	2445	71296	775163	10.69
82	0.03757	70074	2633	68757	703867	10.04
83	0.04186	67441	2823	66030	635110	9.42
84	0.04662	64618	3012	63112	569080	8.81
85+	1.00000	61606	61606	505968	505968	8.21

表6 高血壓性疾病死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8137237	81.37
1M	0.00035	99727	35	8309	8128915	81.51
2M	0.00022	99692	22	8307	8120606	81.46
3M	0.00045	99671	45	24912	8112299	81.39
6M	0.00037	99626	37	49803	8087387	81.18
0	0.00412	100000	412	99653	8137237	81.37
1	0.00024	99588	24	99576	8037584	80.71
2	0.00018	99565	18	99555	7938007	79.73
3	0.00015	99546	15	99539	7838452	78.74
4	0.00012	99532	12	99525	7738913	77.75
5	0.00011	99519	11	99514	7639388	76.76
6	0.00009	99509	9	99504	7539874	75.77
7	0.00008	99500	8	99496	7440370	74.78
8	0.00007	99492	7	99488	7340874	73.78
9	0.00007	99485	7	99481	7241386	72.79
10	0.00008	99478	8	99474	7141905	71.79
11	0.00010	99469	10	99464	7042431	70.80
12	0.00013	99459	13	99453	6942967	69.81
13	0.00016	99447	16	99439	6843514	68.82
14	0.00021	99430	21	99420	6744075	67.83
15	0.00026	99410	26	99397	6644655	66.84
16	0.00031	99384	31	99368	6545258	65.86
17	0.00036	99353	36	99335	6445890	64.88
18	0.00040	99317	40	99297	6346554	63.90
19	0.00045	99277	45	99255	6247257	62.93
20	0.00049	99233	48	99209	6148002	61.96
21	0.00051	99184	51	99159	6048793	60.99
22	0.00053	99134	52	99108	5949634	60.02
23	0.00053	99082	53	99055	5850527	59.05
24	0.00052	99029	52	99003	5751472	58.08
25	0.00050	98977	49	98952	5652469	57.11
26	0.00049	98928	49	98903	5553516	56.14
27	0.00049	98879	49	98855	5454613	55.16
28	0.00051	98830	50	98805	5355758	54.19
29	0.00053	98780	52	98754	5256953	53.22
30	0.00057	98728	57	98699	5158199	52.25
31	0.00062	98671	61	98641	5059500	51.28
32	0.00066	98610	65	98578	4960860	50.31
33	0.00071	98545	70	98510	4862282	49.34
34	0.00077	98475	76	98437	4763772	48.38
35	0.00082	98399	81	98359	4665335	47.41
36	0.00091	98318	89	98274	4566976	46.45
37	0.00101	98229	99	98179	4468702	45.49
38	0.00113	98129	111	98074	4370523	44.54
39	0.00127	98018	125	97956	4272449	43.59

表6 高血壓性疾病死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00144	97894	141	97823	4174494	42.64
41	0.00161	97752	157	97673	4076671	41.70
42	0.00179	97595	174	97507	3978997	40.77
43	0.00197	97420	192	97324	3881490	39.84
44	0.00217	97228	211	97123	3784166	38.92
45	0.00236	97017	229	96903	3687043	38.00
46	0.00257	96789	249	96664	3590140	37.09
47	0.00280	96539	271	96404	3493476	36.19
48	0.00305	96269	293	96122	3397072	35.29
49	0.00330	95975	317	95817	3300950	34.39
50	0.00360	95658	344	95486	3205133	33.51
51	0.00387	95314	369	95129	3109647	32.63
52	0.00415	94945	394	94748	3014518	31.75
53	0.00444	94551	420	94341	2919770	30.88
54	0.00473	94131	445	93909	2825429	30.02
55	0.00503	93686	471	93450	2731521	29.16
56	0.00535	93215	499	92966	2638070	28.30
57	0.00570	92716	528	92452	2545105	27.45
58	0.00608	92188	560	91908	2452653	26.60
59	0.00649	91628	594	91330	2360745	25.76
60	0.00697	91033	634	90716	2269415	24.93
61	0.00745	90399	674	90062	2178699	24.10
62	0.00799	89725	717	89367	2088637	23.28
63	0.00857	89008	763	88627	1999270	22.46
64	0.00923	88245	814	87838	1910643	21.65
65	0.00989	87431	865	86998	1822805	20.85
66	0.01074	86566	930	86101	1735807	20.05
67	0.01172	85636	1004	85134	1649706	19.26
68	0.01284	84632	1087	84089	1564571	18.49
69	0.01412	83545	1180	82956	1480482	17.72
70	0.01562	82366	1287	81722	1397527	16.97
71	0.01720	81079	1395	80382	1315804	16.23
72	0.01893	79685	1508	78930	1235423	15.50
73	0.02082	78176	1628	77362	1156492	14.79
74	0.02289	76548	1752	75672	1079130	14.10
75	0.02515	74796	1881	73856	1003458	13.42
76	0.02760	72915	2012	71909	929602	12.75
77	0.03026	70903	2146	69830	857693	12.10
78	0.03317	68757	2280	67617	787863	11.46
79	0.03632	66477	2415	65269	720246	10.83
80	0.03976	64062	2547	62788	654977	10.22
81	0.04349	61515	2675	60177	592188	9.63
82	0.04755	58840	2798	57441	532011	9.04
83	0.05196	56042	2912	54586	474570	8.47
84	0.05675	53130	3015	51622	419985	7.90
85+	1.00000	50115	50115	368363	368363	7.35

表6 高血壓性疾病死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7811657	78.12
1M	0.00036	99704	36	8307	7803336	78.26
2M	0.00025	99668	25	8305	7795029	78.21
3M	0.00053	99644	53	24904	7786724	78.15
6M	0.00034	99591	34	49787	7761819	77.94
0	0.00443	100000	443	99624	7811657	78.12
1	0.00025	99557	25	99545	7712032	77.46
2	0.00021	99533	21	99522	7612487	76.48
3	0.00018	99512	18	99503	7512965	75.50
4	0.00015	99494	15	99487	7413463	74.51
5	0.00012	99479	12	99474	7313976	73.52
6	0.00009	99468	9	99463	7214502	72.53
7	0.00007	99458	7	99455	7115039	71.54
8	0.00005	99452	5	99449	7015584	70.54
9	0.00005	99446	5	99444	6916135	69.55
10	0.00006	99441	6	99438	6816691	68.55
11	0.00008	99435	8	99431	6717253	67.55
12	0.00012	99427	12	99421	6617821	66.56
13	0.00018	99415	18	99406	6518401	65.57
14	0.00025	99397	25	99385	6418995	64.58
15	0.00033	99372	33	99356	6319610	63.60
16	0.00041	99339	41	99319	6220254	62.62
17	0.00048	99299	48	99275	6120936	61.64
18	0.00054	99251	54	99224	6021661	60.67
19	0.00059	99197	59	99168	5922437	59.70
20	0.00063	99139	63	99107	5823269	58.74
21	0.00066	99076	65	99043	5724161	57.78
22	0.00068	99011	67	98977	5625118	56.81
23	0.00069	98943	68	98910	5526141	55.85
24	0.00068	98876	67	98842	5427232	54.89
25	0.00065	98809	64	98777	5328389	53.93
26	0.00065	98744	64	98712	5229613	52.96
27	0.00065	98680	64	98648	5130900	52.00
28	0.00067	98616	66	98583	5032252	51.03
29	0.00070	98550	69	98516	4933669	50.06
30	0.00076	98481	74	98444	4835153	49.10
31	0.00081	98407	79	98367	4736709	48.13
32	0.00087	98328	85	98285	4638342	47.17
33	0.00094	98242	92	98196	4540057	46.21
34	0.00102	98150	100	98100	4441860	45.26
35	0.00109	98050	107	97997	4343760	44.30
36	0.00122	97943	119	97884	4245763	43.35
37	0.00137	97824	134	97757	4147879	42.40
38	0.00156	97690	152	97614	4050122	41.46
39	0.00177	97538	173	97451	3952509	40.52

表6 高血壓性疾病死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00205	97365	199	97265	3855057	39.59
41	0.00230	97166	224	97054	3757792	38.67
42	0.00256	96942	249	96818	3660738	37.76
43	0.00284	96694	274	96556	3563920	36.86
44	0.00312	96419	301	96269	3467364	35.96
45	0.00338	96119	325	95956	3371095	35.07
46	0.00369	95794	354	95617	3275139	34.19
47	0.00403	95440	385	95248	3179522	33.31
48	0.00439	95055	417	94847	3084274	32.45
49	0.00477	94638	452	94412	2989427	31.59
50	0.00522	94186	491	93941	2895015	30.74
51	0.00563	93695	527	93432	2801074	29.90
52	0.00604	93168	563	92887	2707642	29.06
53	0.00647	92605	599	92306	2614756	28.24
54	0.00690	92006	635	91689	2522450	27.42
55	0.00734	91372	670	91036	2430761	26.60
56	0.00780	90701	708	90348	2339725	25.80
57	0.00829	89994	746	89621	2249377	24.99
58	0.00881	89248	787	88854	2159756	24.20
59	0.00937	88461	829	88046	2070902	23.41
60	0.00999	87632	875	87194	1982856	22.63
61	0.01065	86757	924	86295	1895661	21.85
62	0.01138	85833	977	85345	1809367	21.08
63	0.01218	84856	1034	84339	1724022	20.32
64	0.01308	83822	1096	83274	1639682	19.56
65	0.01403	82726	1161	82146	1556408	18.81
66	0.01516	81565	1237	80947	1474262	18.07
67	0.01643	80329	1320	79669	1393316	17.35
68	0.01786	79009	1411	78303	1313647	16.63
69	0.01945	77598	1509	76843	1235344	15.92
70	0.02125	76089	1617	75280	1158501	15.23
71	0.02319	74472	1727	73608	1083221	14.55
72	0.02530	72745	1841	71824	1009613	13.88
73	0.02761	70904	1957	69925	937788	13.23
74	0.03011	68947	2076	67909	867863	12.59
75	0.03286	66871	2197	65772	799954	11.96
76	0.03578	64674	2314	63516	734182	11.35
77	0.03894	62359	2428	61145	670665	10.75
78	0.04235	59931	2538	58662	609520	10.17
79	0.04602	57393	2641	56072	550858	9.60
80	0.04998	54752	2737	53383	494786	9.04
81	0.05426	52015	2822	50604	441403	8.49
82	0.05886	49193	2896	47745	390799	7.94
83	0.06382	46297	2955	44820	343053	7.41
84	0.06916	43343	2998	41844	298234	6.88
85+	1.00000	40345	40345	256390	256390	6.35

表6 高血壓性疾病死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8485067	84.85
1M	0.00034	99751	34	8311	8476744	84.98
2M	0.00018	99717	18	8309	8468433	84.92
3M	0.00037	99699	37	24920	8460124	84.86
6M	0.00041	99662	40	49821	8435204	84.64
0	0.00378	100000	378	99684	8485067	84.85
1	0.00023	99622	23	99610	8385383	84.17
2	0.00016	99599	16	99591	8285772	83.19
3	0.00011	99583	11	99577	8186181	82.20
4	0.00010	99572	10	99567	8086604	81.21
5	0.00009	99562	9	99558	7987037	80.22
6	0.00009	99553	9	99548	7887480	79.23
7	0.00009	99544	9	99539	7787931	78.24
8	0.00009	99535	9	99530	7688392	77.24
9	0.00009	99526	9	99521	7588862	76.25
10	0.00010	99516	10	99511	7489341	75.26
11	0.00012	99506	12	99500	7389830	74.27
12	0.00013	99494	13	99488	7290330	73.27
13	0.00015	99481	15	99474	7190842	72.28
14	0.00016	99466	16	99458	7091369	71.29
15	0.00018	99450	18	99441	6991911	70.31
16	0.00020	99432	20	99422	6892470	69.32
17	0.00023	99412	22	99401	6793048	68.33
18	0.00026	99389	26	99377	6693647	67.35
19	0.00029	99364	29	99349	6594270	66.36
20	0.00033	99335	32	99319	6494921	65.38
21	0.00035	99303	35	99285	6395602	64.41
22	0.00036	99268	36	99250	6296317	63.43
23	0.00037	99232	36	99214	6197067	62.45
24	0.00036	99196	35	99178	6097853	61.47
25	0.00034	99160	34	99143	5998675	60.49
26	0.00033	99126	32	99110	5899532	59.52
27	0.00032	99094	32	99078	5800422	58.53
28	0.00033	99062	33	99046	5701343	57.55
29	0.00035	99029	35	99012	5602298	56.57
30	0.00038	98994	38	98976	5503286	55.59
31	0.00041	98957	40	98937	5404310	54.61
32	0.00044	98916	43	98895	5305374	53.63
33	0.00047	98873	47	98850	5206479	52.66
34	0.00051	98826	51	98801	5107629	51.68
35	0.00055	98776	54	98748	5008828	50.71
36	0.00060	98721	59	98692	4910080	49.74
37	0.00065	98662	65	98630	4811388	48.77
38	0.00072	98597	71	98562	4712759	47.80
39	0.00078	98527	77	98488	4614197	46.83

表6 高血壓性疾病死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00085	98450	84	98408	4515708	45.87
41	0.00094	98366	92	98319	4417301	44.91
42	0.00103	98273	101	98223	4318981	43.95
43	0.00113	98172	111	98116	4220759	42.99
44	0.00125	98061	122	97999	4122642	42.04
45	0.00138	97938	135	97871	4024643	41.09
46	0.00150	97803	147	97730	3926772	40.15
47	0.00163	97656	159	97577	3829042	39.21
48	0.00176	97497	171	97412	3731466	38.27
49	0.00189	97326	184	97234	3634054	37.34
50	0.00203	97142	197	97043	3536820	36.41
51	0.00217	96944	211	96839	3439777	35.48
52	0.00232	96734	224	96621	3342939	34.56
53	0.00247	96509	239	96390	3246317	33.64
54	0.00263	96271	254	96144	3149927	32.72
55	0.00280	96017	269	95883	3053783	31.80
56	0.00299	95749	287	95605	2957901	30.89
57	0.00321	95462	307	95309	2862295	29.98
58	0.00346	95155	329	94991	2766987	29.08
59	0.00374	94826	355	94648	2671996	28.18
60	0.00411	94471	388	94277	2577348	27.28
61	0.00445	94083	418	93873	2483071	26.39
62	0.00481	93664	450	93439	2389197	25.51
63	0.00521	93214	485	92971	2295758	24.63
64	0.00565	92728	524	92466	2202787	23.76
65	0.00607	92204	560	91924	2110321	22.89
66	0.00668	91645	612	91338	2018397	22.02
67	0.00741	91032	675	90695	1927058	21.17
68	0.00828	90357	748	89983	1836364	20.32
69	0.00929	89609	832	89193	1746381	19.49
70	0.01055	88777	937	88308	1657188	18.67
71	0.01185	87840	1040	87320	1568880	17.86
72	0.01328	86799	1153	86223	1481560	17.07
73	0.01487	85647	1274	85010	1395337	16.29
74	0.01663	84373	1403	83671	1310327	15.53
75	0.01857	82970	1541	82199	1226656	14.78
76	0.02074	81429	1689	80585	1144456	14.05
77	0.02314	79740	1845	78818	1063872	13.34
78	0.02581	77895	2010	76890	985054	12.65
79	0.02876	75885	2183	74794	908164	11.97
80	0.03204	73702	2362	72521	833370	11.31
81	0.03568	71340	2545	70068	760849	10.67
82	0.03970	68795	2731	67430	690781	10.04
83	0.04416	66064	2917	64605	623351	9.44
84	0.04909	63146	3100	61596	558746	8.85
85+	1.00000	60046	60046	497150	497150	8.28

表7 事故傷害死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00272	100000	272	8322	8149740	81.50
1M	0.00031	99728	31	8309	8141418	81.64
2M	0.00020	99697	20	8307	8133109	81.58
3M	0.00037	99677	37	24915	8124802	81.51
6M	0.00030	99640	30	49812	8099887	81.29
0	0.00390	100000	390	99666	8149740	81.50
1	0.00019	99610	19	99600	8050075	80.82
2	0.00014	99591	14	99583	7950474	79.83
3	0.00012	99576	12	99570	7850891	78.84
4	0.00009	99564	9	99560	7751320	77.85
5	0.00006	99555	6	99552	7651761	76.86
6	0.00005	99548	5	99546	7552209	75.86
7	0.00005	99543	5	99541	7452663	74.87
8	0.00006	99538	6	99536	7353122	73.87
9	0.00007	99533	7	99529	7253587	72.88
10	0.00008	99526	8	99522	7154057	71.88
11	0.00010	99518	10	99513	7054535	70.89
12	0.00011	99508	11	99502	6955022	69.89
13	0.00013	99497	13	99490	6855520	68.90
14	0.00014	99484	14	99477	6756030	67.91
15	0.00013	99470	13	99463	6656553	66.92
16	0.00015	99457	15	99450	6557090	65.93
17	0.00017	99442	17	99434	6457640	64.94
18	0.00019	99426	19	99416	6358206	63.95
19	0.00023	99406	22	99395	6258790	62.96
20	0.00028	99384	28	99370	6159395	61.98
21	0.00031	99356	31	99340	6060025	60.99
22	0.00033	99325	33	99308	5960685	60.01
23	0.00035	99291	34	99274	5861377	59.03
24	0.00035	99257	35	99239	5762103	58.05
25	0.00033	99222	33	99205	5662864	57.07
26	0.00034	99189	34	99172	5563658	56.09
27	0.00035	99155	35	99138	5464486	55.11
28	0.00038	99120	37	99101	5365349	54.13
29	0.00041	99083	40	99063	5266247	53.15
30	0.00047	99042	46	99019	5167185	52.17
31	0.00051	98996	50	98971	5068165	51.20
32	0.00056	98946	55	98918	4969194	50.22
33	0.00061	98891	60	98861	4870276	49.25
34	0.00067	98830	66	98797	4771415	48.28
35	0.00072	98764	71	98729	4672618	47.31
36	0.00080	98694	79	98654	4573889	46.34
37	0.00090	98615	88	98571	4475235	45.38
38	0.00101	98527	100	98477	4376664	44.42
39	0.00114	98427	113	98371	4278187	43.47

表7 事故傷害死因除外簡易生命表(續1)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00131	98314	129	98250	4179816	42.51
41	0.00147	98185	145	98113	4081567	41.57
42	0.00165	98041	161	97960	3983454	40.63
43	0.00183	97879	179	97790	3885494	39.70
44	0.00202	97700	198	97601	3787704	38.77
45	0.00222	97502	216	97394	3690103	37.85
46	0.00243	97286	237	97168	3592708	36.93
47	0.00267	97050	259	96920	3495540	36.02
48	0.00291	96791	282	96650	3398620	35.11
49	0.00317	96509	306	96356	3301970	34.21
50	0.00347	96203	334	96036	3205614	33.32
51	0.00375	95869	360	95689	3109578	32.44
52	0.00403	95509	385	95316	3013889	31.56
53	0.00432	95124	411	94918	2918573	30.68
54	0.00461	94713	437	94495	2823655	29.81
55	0.00490	94276	462	94045	2729160	28.95
56	0.00523	93814	490	93569	2635115	28.09
57	0.00557	93323	520	93063	2541547	27.23
58	0.00595	92803	552	92528	2448483	26.38
59	0.00635	92252	586	91959	2355956	25.54
60	0.00682	91666	626	91353	2263997	24.70
61	0.00731	91040	666	90707	2172644	23.86
62	0.00785	90374	709	90020	2081937	23.04
63	0.00844	89665	757	89286	1991918	22.22
64	0.00911	88908	810	88503	1902631	21.40
65	0.00981	88098	864	87666	1814129	20.59
66	0.01067	87234	931	86769	1726463	19.79
67	0.01166	86303	1006	85800	1639694	19.00
68	0.01278	85297	1090	84752	1553894	18.22
69	0.01406	84207	1184	83615	1469142	17.45
70	0.01554	83023	1290	82378	1385527	16.69
71	0.01714	81733	1401	81032	1303149	15.94
72	0.01890	80332	1518	79573	1222116	15.21
73	0.02084	78814	1642	77993	1142543	14.50
74	0.02297	77172	1772	76285	1064550	13.79
75	0.02534	75399	1910	74444	988265	13.11
76	0.02787	73489	2048	72465	913821	12.43
77	0.03063	71441	2189	70346	841356	11.78
78	0.03364	69252	2330	68087	771010	11.13
79	0.03692	66922	2471	65687	702923	10.50
80	0.04048	64452	2609	63147	637236	9.89
81	0.04436	61843	2743	60471	574088	9.28
82	0.04857	59100	2871	57664	513617	8.69
83	0.05316	56229	2989	54734	455953	8.11
84	0.05814	53240	3095	51692	401219	7.54
85+	1.00000	50144	50144	349527	349527	6.97

表7 事故傷害死因除外簡易生命表(續2)
民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7848580	78.49
1M	0.00034	99704	34	8307	7840259	78.64
2M	0.00022	99670	22	8305	7831952	78.58
3M	0.00047	99648	47	24906	7823647	78.51
6M	0.00031	99601	30	49793	7798741	78.30
0	0.00429	100000	429	99632	7848580	78.49
1	0.00021	99571	21	99560	7748948	77.82
2	0.00014	99550	13	99543	7649388	76.84
3	0.00014	99536	14	99529	7549845	75.85
4	0.00012	99523	12	99517	7450316	74.86
5	0.00008	99511	8	99507	7350799	73.87
6	0.00006	99503	6	99500	7251292	72.88
7	0.00005	99497	5	99495	7151792	71.88
8	0.00005	99493	5	99490	7052297	70.88
9	0.00005	99487	5	99485	6952807	69.89
10	0.00006	99482	6	99479	6853322	68.89
11	0.00008	99476	8	99472	6753843	67.89
12	0.00011	99468	11	99462	6654371	66.90
13	0.00013	99457	13	99450	6554909	65.91
14	0.00015	99444	15	99436	6455459	64.92
15	0.00014	99429	14	99422	6356022	63.93
16	0.00016	99415	16	99407	6256600	62.93
17	0.00019	99399	19	99390	6157193	61.94
18	0.00022	99381	22	99370	6057803	60.96
19	0.00026	99359	26	99346	5958433	59.97
20	0.00033	99333	33	99317	5859087	58.98
21	0.00036	99300	36	99282	5759770	58.00
22	0.00039	99264	39	99245	5660488	57.02
23	0.00041	99225	41	99205	5561243	56.05
24	0.00042	99184	42	99163	5462038	55.07
25	0.00040	99142	40	99122	5362875	54.09
26	0.00042	99102	41	99082	5263752	53.11
27	0.00044	99061	43	99040	5164670	52.14
28	0.00047	99018	46	98995	5065631	51.16
29	0.00051	98972	50	98947	4966635	50.18
30	0.00058	98922	57	98893	4867689	49.21
31	0.00064	98864	63	98833	4768796	48.24
32	0.00071	98801	70	98766	4669963	47.27
33	0.00078	98731	77	98693	4571197	46.30
34	0.00086	98654	85	98612	4472504	45.34
35	0.00093	98569	92	98523	4373892	44.37
36	0.00105	98478	103	98426	4275369	43.41
37	0.00120	98374	118	98315	4176943	42.46
38	0.00137	98256	135	98189	4078628	41.51
39	0.00158	98121	155	98044	3980439	40.57

表7 事故傷害死因除外簡易生命表(續3)
民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00184	97967	180	97876	3882395	39.63
41	0.00208	97786	204	97684	3784519	38.70
42	0.00234	97583	228	97468	3686834	37.78
43	0.00261	97354	254	97227	3589366	36.87
44	0.00289	97100	281	96960	3492139	35.96
45	0.00315	96820	305	96667	3395179	35.07
46	0.00347	96514	335	96347	3298512	34.18
47	0.00381	96180	366	95996	3202165	33.29
48	0.00417	95813	400	95613	3106168	32.42
49	0.00456	95413	435	95196	3010555	31.55
50	0.00501	94978	476	94740	2915359	30.70
51	0.00543	94502	513	94245	2820620	29.85
52	0.00585	93989	550	93714	2726375	29.01
53	0.00628	93438	587	93145	2632661	28.18
54	0.00672	92852	624	92540	2539516	27.35
55	0.00716	92228	660	91897	2446976	26.53
56	0.00763	91567	699	91218	2355079	25.72
57	0.00812	90869	738	90500	2263861	24.91
58	0.00864	90131	779	89741	2173361	24.11
59	0.00920	89352	822	88941	2083620	23.32
60	0.00981	88529	869	88095	1994679	22.53
61	0.01048	87661	918	87201	1906584	21.75
62	0.01121	86742	972	86256	1819383	20.97
63	0.01202	85770	1031	85254	1733127	20.21
64	0.01292	84739	1095	84191	1647872	19.45
65	0.01390	83644	1163	83063	1563681	18.69
66	0.01503	82481	1240	81861	1480618	17.95
67	0.01631	81241	1325	80579	1398757	17.22
68	0.01773	79916	1417	79208	1318178	16.49
69	0.01932	78500	1516	77741	1238970	15.78
70	0.02110	76983	1624	76171	1161229	15.08
71	0.02304	75359	1736	74491	1085058	14.40
72	0.02518	73623	1854	72696	1010567	13.73
73	0.02753	71769	1976	70781	937871	13.07
74	0.03009	69793	2100	68743	867090	12.42
75	0.03294	67693	2230	66579	798347	11.79
76	0.03593	65464	2352	64287	731768	11.18
77	0.03917	63111	2472	61875	667481	10.58
78	0.04265	60639	2586	59346	605605	9.99
79	0.04641	58053	2694	56706	546259	9.41
80	0.05046	55359	2793	53962	489553	8.84
81	0.05483	52565	2882	51124	435591	8.29
82	0.05953	49683	2958	48205	384467	7.74
83	0.06459	46726	3018	45217	336262	7.20
84	0.07004	43708	3061	42177	291045	6.66
85+	1.00000	40646	40646	248868	248868	6.12

表7 事故傷害死因除外簡易生命表(續4)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00246	100000	246	8323	8466734	84.67
1M	0.00027	99754	27	8312	8458411	84.79
2M	0.00017	99726	17	8310	8450100	84.73
3M	0.00028	99709	27	24924	8441790	84.66
6M	0.00030	99682	30	49833	8416866	84.44
0	0.00348	100000	348	99702	8466734	84.67
1	0.00017	99652	17	99643	8367032	83.96
2	0.00014	99635	14	99628	8267389	82.98
3	0.00011	99621	11	99615	8167761	81.99
4	0.00007	99610	7	99606	8068146	81.00
5	0.00005	99603	5	99600	7968540	80.00
6	0.00005	99598	5	99595	7868939	79.01
7	0.00005	99593	5	99590	7769344	78.01
8	0.00006	99588	6	99585	7669754	77.01
9	0.00007	99582	7	99578	7570169	76.02
10	0.00009	99575	9	99570	7470591	75.03
11	0.00010	99566	10	99561	7371021	74.03
12	0.00011	99556	11	99550	7271460	73.04
13	0.00013	99544	12	99538	7171910	72.05
14	0.00013	99532	13	99525	7072372	71.06
15	0.00012	99518	12	99512	6972847	70.07
16	0.00013	99506	13	99500	6873334	69.07
17	0.00015	99493	15	99486	6773835	68.08
18	0.00017	99478	17	99470	6674349	67.09
19	0.00019	99462	19	99452	6574879	66.10
20	0.00024	99443	23	99431	6475427	65.12
21	0.00025	99419	25	99407	6375996	64.13
22	0.00027	99394	27	99381	6276589	63.15
23	0.00028	99367	27	99354	6177208	62.17
24	0.00028	99340	28	99326	6077855	61.18
25	0.00026	99312	25	99299	5978529	60.20
26	0.00026	99287	26	99274	5879229	59.21
27	0.00027	99261	26	99248	5779956	58.23
28	0.00028	99235	28	99221	5680708	57.25
29	0.00030	99207	30	99192	5581487	56.26
30	0.00034	99177	34	99161	5482294	55.28
31	0.00037	99144	37	99125	5383134	54.30
32	0.00040	99107	40	99087	5284008	53.32
33	0.00043	99068	43	99046	5184921	52.34
34	0.00047	99025	46	99002	5085875	51.36
35	0.00050	98978	49	98954	4986873	50.38
36	0.00054	98929	54	98902	4887920	49.41
37	0.00059	98875	59	98846	4789018	48.43
38	0.00065	98817	65	98784	4690172	47.46
39	0.00072	98752	71	98716	4591387	46.49

表7 事故傷害死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00079	98681	78	98642	4492671	45.53
41	0.00088	98602	87	98559	4394029	44.56
42	0.00097	98516	96	98468	4295470	43.60
43	0.00108	98420	106	98367	4197002	42.64
44	0.00119	98314	117	98256	4098635	41.69
45	0.00132	98198	129	98133	4000379	40.74
46	0.00144	98068	141	97998	3902246	39.79
47	0.00157	97927	154	97851	3804248	38.85
48	0.00170	97774	166	97691	3706398	37.91
49	0.00183	97608	179	97518	3608707	36.97
50	0.00198	97429	193	97332	3511189	36.04
51	0.00213	97235	207	97132	3413857	35.11
52	0.00227	97029	220	96918	3316725	34.18
53	0.00242	96808	234	96691	3219807	33.26
54	0.00257	96574	249	96450	3123116	32.34
55	0.00273	96326	263	96194	3026666	31.42
56	0.00291	96063	280	95923	2930471	30.51
57	0.00313	95783	299	95633	2834549	29.59
58	0.00337	95484	321	95323	2738915	28.68
59	0.00364	95162	346	94989	2643592	27.78
60	0.00400	94816	379	94626	2548604	26.88
61	0.00433	94437	409	94232	2453977	25.99
62	0.00470	94028	442	93807	2359745	25.10
63	0.00511	93586	478	93347	2265939	24.21
64	0.00557	93107	519	92848	2172592	23.33
65	0.00603	92589	558	92310	2079744	22.46
66	0.00666	92031	613	91724	1987434	21.60
67	0.00740	91418	677	91080	1895710	20.74
68	0.00828	90741	751	90366	1804630	19.89
69	0.00930	89990	837	89572	1714264	19.05
70	0.01054	89154	940	88684	1624692	18.22
71	0.01185	88214	1046	87691	1536008	17.41
72	0.01333	87168	1162	86588	1448316	16.62
73	0.01497	86007	1287	85363	1361729	15.83
74	0.01680	84720	1423	84008	1276365	15.07
75	0.01885	83297	1570	82512	1192357	14.31
76	0.02111	81727	1725	80864	1109845	13.58
77	0.02362	80002	1890	79057	1028981	12.86
78	0.02641	78112	2063	77080	949924	12.16
79	0.02951	76049	2244	74927	872844	11.48
80	0.03295	73805	2432	72589	797917	10.81
81	0.03676	71373	2624	70061	725328	10.16
82	0.04099	68749	2818	67340	655267	9.53
83	0.04567	65931	3011	64426	587926	8.92
84	0.05087	62920	3200	61320	523500	8.32
85+	1.00000	59720	59720	462181	462181	7.74

表8 慢性下呼吸道疾病死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8125431	81.25
1M	0.00035	99727	35	8309	8117109	81.39
2M	0.00022	99692	22	8307	8108800	81.34
3M	0.00045	99671	45	24912	8100493	81.27
6M	0.00037	99626	37	49803	8075581	81.06
0	0.00412	100000	412	99653	8125431	81.25
1	0.00024	99588	24	99576	8025777	80.59
2	0.00018	99565	18	99556	7926201	79.61
3	0.00015	99547	15	99539	7826645	78.62
4	0.00012	99532	12	99526	7727106	77.63
5	0.00011	99520	11	99515	7627580	76.64
6	0.00009	99509	9	99505	7528065	75.65
7	0.00008	99500	8	99496	7428560	74.66
8	0.00007	99492	7	99489	7329064	73.66
9	0.00007	99485	7	99482	7229575	72.67
10	0.00008	99478	8	99474	7130094	71.67
11	0.00010	99470	10	99465	7030620	70.68
12	0.00013	99460	13	99454	6931155	69.69
13	0.00016	99447	16	99439	6831701	68.70
14	0.00021	99431	21	99421	6732262	67.71
15	0.00026	99410	26	99397	6632841	66.72
16	0.00031	99384	31	99369	6533444	65.74
17	0.00036	99354	35	99336	6434075	64.76
18	0.00040	99318	40	99298	6334739	63.78
19	0.00044	99278	44	99257	6235440	62.81
20	0.00048	99235	48	99211	6136184	61.84
21	0.00051	99187	51	99161	6036973	60.86
22	0.00052	99136	52	99110	5937812	59.90
23	0.00053	99084	53	99058	5838701	58.93
24	0.00052	99032	52	99006	5739643	57.96
25	0.00050	98980	49	98955	5640638	56.99
26	0.00049	98931	49	98907	5541682	56.02
27	0.00049	98882	49	98858	5442776	55.04
28	0.00051	98833	50	98808	5343918	54.07
29	0.00053	98783	52	98757	5245109	53.10
30	0.00057	98731	57	98703	5146352	52.13
31	0.00062	98674	61	98644	5047650	51.15
32	0.00066	98613	65	98580	4949006	50.19
33	0.00072	98548	71	98512	4850426	49.22
34	0.00078	98477	76	98439	4751913	48.25
35	0.00083	98401	82	98360	4653474	47.29
36	0.00092	98319	91	98273	4555114	46.33
37	0.00103	98228	101	98178	4456841	45.37
38	0.00115	98127	113	98071	4358663	44.42
39	0.00129	98014	127	97951	4260593	43.47

表8 慢性下呼吸道疾病死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00147	97887	144	97816	4162642	42.52
41	0.00164	97744	160	97664	4064826	41.59
42	0.00182	97584	177	97495	3967163	40.65
43	0.00201	97406	196	97308	3869668	39.73
44	0.00221	97211	215	97103	3772359	38.81
45	0.00240	96996	233	96880	3675256	37.89
46	0.00263	96763	254	96636	3578376	36.98
47	0.00286	96509	276	96371	3481740	36.08
48	0.00311	96232	300	96082	3385370	35.18
49	0.00338	95933	324	95771	3289287	34.29
50	0.00368	95608	352	95433	3193517	33.40
51	0.00396	95257	377	95068	3098084	32.52
52	0.00425	94879	403	94678	3003016	31.65
53	0.00454	94476	429	94262	2908339	30.78
54	0.00484	94047	455	93820	2814077	29.92
55	0.00514	93593	481	93352	2720257	29.06
56	0.00546	93112	508	92858	2626905	28.21
57	0.00581	92604	538	92335	2534047	27.36
58	0.00618	92066	569	91781	2441712	26.52
59	0.00659	91497	603	91195	2349931	25.68
60	0.00705	90894	641	90574	2258736	24.85
61	0.00753	90253	680	89913	2168162	24.02
62	0.00807	89574	723	89212	2078249	23.20
63	0.00867	88851	770	88466	1989036	22.39
64	0.00933	88080	822	87669	1900571	21.58
65	0.01004	87258	876	86820	1812902	20.78
66	0.01090	86382	942	85911	1726081	19.98
67	0.01188	85440	1015	84933	1640170	19.20
68	0.01299	84425	1097	83877	1555237	18.42
69	0.01425	83328	1187	82735	1471361	17.66
70	0.01568	82141	1288	81497	1388626	16.91
71	0.01725	80853	1394	80156	1307129	16.17
72	0.01897	79459	1507	78705	1226973	15.44
73	0.02086	77951	1626	77138	1148268	14.73
74	0.02294	76325	1751	75450	1071129	14.03
75	0.02525	74574	1883	73633	995680	13.35
76	0.02771	72691	2014	71684	922047	12.68
77	0.03037	70677	2147	69603	850363	12.03
78	0.03326	68530	2280	67390	780759	11.39
79	0.03640	66250	2411	65045	713369	10.77
80	0.03980	63839	2541	62569	648324	10.16
81	0.04348	61298	2665	59966	585756	9.56
82	0.04747	58633	2783	57241	525790	8.97
83	0.05179	55850	2893	54403	468549	8.39
84	0.05647	52957	2991	51462	414145	7.82
85+	1.00000	49967	49967	362683	362683	7.26

表8 慢性下呼吸道疾病死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7813369	78.13
1M	0.00036	99704	36	8307	7805048	78.28
2M	0.00025	99668	25	8305	7796741	78.23
3M	0.00053	99644	53	24904	7788436	78.16
6M	0.00034	99591	34	49787	7763532	77.95
0	0.00443	100000	443	99624	7813369	78.13
1	0.00025	99557	25	99545	7713745	77.48
2	0.00021	99533	21	99522	7614200	76.50
3	0.00018	99512	18	99503	7514678	75.52
4	0.00015	99494	15	99487	7415175	74.53
5	0.00012	99479	12	99474	7315688	73.54
6	0.00009	99468	9	99463	7216214	72.55
7	0.00007	99458	7	99455	7116751	71.56
8	0.00005	99452	5	99449	7017296	70.56
9	0.00005	99446	5	99444	6917847	69.56
10	0.00006	99441	6	99438	6818403	68.57
11	0.00008	99435	8	99431	6718965	67.57
12	0.00012	99427	12	99421	6619534	66.58
13	0.00018	99415	18	99406	6520113	65.58
14	0.00025	99397	25	99385	6420707	64.60
15	0.00033	99372	33	99356	6321322	63.61
16	0.00041	99339	41	99319	6221967	62.63
17	0.00048	99299	47	99275	6122648	61.66
18	0.00053	99251	53	99225	6023373	60.69
19	0.00058	99198	58	99169	5924148	59.72
20	0.00063	99140	63	99109	5824978	58.75
21	0.00066	99078	65	99045	5725869	57.79
22	0.00068	99013	67	98979	5626824	56.83
23	0.00068	98946	68	98912	5527845	55.87
24	0.00068	98878	67	98845	5428933	54.91
25	0.00065	98811	64	98779	5330089	53.94
26	0.00065	98747	64	98715	5231310	52.98
27	0.00065	98683	64	98651	5132594	52.01
28	0.00067	98619	66	98586	5033943	51.04
29	0.00070	98553	69	98519	4935357	50.08
30	0.00076	98485	74	98447	4836838	49.11
31	0.00081	98410	80	98370	4738391	48.15
32	0.00087	98331	86	98288	4640020	47.19
33	0.00095	98245	93	98198	4541733	46.23
34	0.00103	98152	101	98102	4443534	45.27
35	0.00111	98051	109	97997	4345433	44.32
36	0.00124	97942	122	97882	4247436	43.37
37	0.00140	97821	137	97752	4149554	42.42
38	0.00159	97684	155	97606	4051802	41.48
39	0.00181	97528	177	97440	3954196	40.54

表8 慢性下呼吸道疾病死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00209	97352	204	97250	3856755	39.62
41	0.00235	97148	229	97034	3759505	38.70
42	0.00262	96919	254	96792	3662472	37.79
43	0.00290	96665	281	96525	3565679	36.89
44	0.00319	96384	308	96231	3469155	35.99
45	0.00346	96077	333	95910	3372924	35.11
46	0.00378	95744	362	95563	3277014	34.23
47	0.00413	95382	394	95185	3181451	33.35
48	0.00450	94988	428	94774	3086266	32.49
49	0.00490	94560	463	94329	2991492	31.64
50	0.00535	94097	504	93845	2897163	30.79
51	0.00577	93594	540	93323	2803318	29.95
52	0.00620	93053	577	92764	2709995	29.12
53	0.00664	92476	614	92169	2617230	28.30
54	0.00708	91862	650	91537	2525061	27.49
55	0.00752	91212	686	90869	2433524	26.68
56	0.00799	90526	723	90164	2342654	25.88
57	0.00848	89803	762	89422	2252490	25.08
58	0.00900	89041	802	88640	2163068	24.29
59	0.00956	88239	843	87818	2074428	23.51
60	0.01015	87396	887	86952	1986611	22.73
61	0.01081	86509	935	86041	1899658	21.96
62	0.01154	85574	987	85080	1813617	21.19
63	0.01234	84587	1044	84065	1728537	20.44
64	0.01324	83543	1106	82990	1644472	19.68
65	0.01422	82437	1172	81851	1561482	18.94
66	0.01533	81265	1246	80642	1479631	18.21
67	0.01658	80019	1327	79355	1398990	17.48
68	0.01797	78692	1414	77985	1319634	16.77
69	0.01951	77278	1507	76524	1241649	16.07
70	0.02120	75771	1606	74967	1165125	15.38
71	0.02308	74164	1711	73309	1090158	14.70
72	0.02513	72453	1821	71542	1016849	14.03
73	0.02738	70632	1934	69665	945307	13.38
74	0.02983	68698	2049	67673	875642	12.75
75	0.03257	66649	2171	65564	807968	12.12
76	0.03540	64478	2283	63337	742404	11.51
77	0.03844	62196	2391	61000	679067	10.92
78	0.04170	59805	2494	58558	618067	10.33
79	0.04519	57311	2590	56016	559509	9.76
80	0.04893	54721	2678	53383	503492	9.20
81	0.05294	52044	2755	50666	450110	8.65
82	0.05724	49288	2821	47878	399443	8.10
83	0.06183	46467	2873	45031	351566	7.57
84	0.06675	43594	2910	42139	306535	7.03
85+	1.00000	40684	40684	264395	264395	6.50

表8 慢性下呼吸道疾病死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8452827	84.53
1M	0.00034	99751	34	8311	8444504	84.66
2M	0.00018	99717	18	8309	8436193	84.60
3M	0.00037	99699	37	24920	8427884	84.53
6M	0.00041	99662	40	49821	8402964	84.31
0	0.00378	100000	378	99684	8452827	84.53
1	0.00023	99622	23	99610	8353143	83.85
2	0.00015	99599	15	99591	8253532	82.87
3	0.00011	99584	11	99578	8153941	81.88
4	0.00010	99573	10	99568	8054363	80.89
5	0.00009	99563	9	99558	7954795	79.90
6	0.00009	99554	9	99549	7855237	78.90
7	0.00009	99545	9	99540	7755687	77.91
8	0.00009	99536	9	99531	7656147	76.92
9	0.00009	99527	9	99522	7556616	75.93
10	0.00010	99517	10	99512	7457094	74.93
11	0.00012	99507	12	99501	7357582	73.94
12	0.00013	99495	13	99488	7258081	72.95
13	0.00015	99482	15	99475	7158593	71.96
14	0.00016	99467	16	99459	7059118	70.97
15	0.00018	99451	18	99442	6959659	69.98
16	0.00020	99433	20	99423	6860217	68.99
17	0.00023	99413	22	99402	6760795	68.01
18	0.00025	99390	25	99378	6661393	67.02
19	0.00028	99365	28	99351	6562015	66.04
20	0.00033	99337	32	99321	6462664	65.06
21	0.00035	99305	34	99288	6363343	64.08
22	0.00036	99270	36	99253	6264055	63.10
23	0.00036	99235	36	99217	6164802	62.12
24	0.00036	99199	35	99181	6065585	61.15
25	0.00034	99163	34	99147	5966404	60.17
26	0.00033	99130	32	99113	5867258	59.19
27	0.00032	99097	32	99081	5768144	58.21
28	0.00033	99065	33	99049	5669063	57.23
29	0.00035	99033	35	99015	5570014	56.24
30	0.00038	98998	38	98979	5470999	55.26
31	0.00041	98960	41	98940	5372020	54.28
32	0.00044	98919	44	98897	5273080	53.31
33	0.00048	98875	47	98852	5174183	52.33
34	0.00051	98828	51	98803	5075331	51.36
35	0.00055	98777	55	98750	4976529	50.38
36	0.00060	98722	59	98693	4877779	49.41
37	0.00066	98663	65	98631	4779086	48.44
38	0.00072	98598	71	98563	4680456	47.47
39	0.00079	98527	77	98489	4581893	46.50

表8 慢性下呼吸道疾病死因除外簡易生命表(續完)
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00085	98450	84	98408	4483404	45.54
41	0.00094	98366	92	98320	4384996	44.58
42	0.00104	98273	102	98223	4286676	43.62
43	0.00114	98172	112	98116	4188454	42.66
44	0.00125	98060	123	97998	4090338	41.71
45	0.00139	97937	136	97869	3992339	40.76
46	0.00152	97801	148	97726	3894471	39.82
47	0.00165	97652	161	97572	3796744	38.88
48	0.00178	97491	174	97405	3699172	37.94
49	0.00192	97318	187	97224	3601768	37.01
50	0.00206	97131	200	97031	3504544	36.08
51	0.00221	96931	214	96824	3407513	35.15
52	0.00235	96717	228	96603	3310689	34.23
53	0.00251	96489	242	96368	3214086	33.31
54	0.00267	96247	257	96119	3117718	32.39
55	0.00283	95990	272	95854	3021600	31.48
56	0.00303	95718	290	95573	2925746	30.57
57	0.00324	95429	309	95274	2830172	29.66
58	0.00349	95119	332	94954	2734898	28.75
59	0.00376	94788	356	94609	2639945	27.85
60	0.00411	94431	388	94237	2545335	26.95
61	0.00445	94043	419	93834	2451098	26.06
62	0.00482	93624	452	93398	2357264	25.18
63	0.00524	93173	488	92928	2263866	24.30
64	0.00571	92684	530	92419	2170938	23.42
65	0.00619	92155	571	91869	2078518	22.55
66	0.00683	91584	625	91271	1986649	21.69
67	0.00758	90959	690	90614	1895377	20.84
68	0.00846	90269	764	89887	1804763	19.99
69	0.00948	89505	849	89081	1714877	19.16
70	0.01072	88656	950	88181	1625796	18.34
71	0.01203	87706	1055	87179	1537615	17.53
72	0.01350	86651	1170	86066	1450436	16.74
73	0.01514	85482	1294	84835	1364370	15.96
74	0.01696	84188	1428	83474	1279535	15.20
75	0.01901	82760	1573	81974	1196061	14.45
76	0.02125	81187	1725	80325	1114088	13.72
77	0.02373	79462	1886	78519	1033763	13.01
78	0.02648	77576	2054	76549	955244	12.31
79	0.02952	75522	2230	74407	878695	11.63
80	0.03289	73292	2410	72087	804288	10.97
81	0.03661	70882	2595	69585	732200	10.33
82	0.04072	68287	2781	66897	662616	9.70
83	0.04527	65506	2965	64024	595719	9.09
84	0.05029	62541	3145	60969	531695	8.50
85+	1.00000	59396	59396	470726	470726	7.93

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8120734	81.21
1M	0.00035	99727	35	8309	8112412	81.35
2M	0.00022	99692	22	8307	8104103	81.29
3M	0.00045	99671	45	24912	8095797	81.23
6M	0.00037	99626	37	49803	8070885	81.01
0	0.00412	100000	412	99653	8120734	81.21
1	0.00024	99588	24	99576	8021081	80.54
2	0.00018	99565	18	99555	7921505	79.56
3	0.00015	99546	15	99539	7821949	78.58
4	0.00012	99532	12	99525	7722410	77.59
5	0.00010	99519	10	99514	7622885	76.60
6	0.00009	99509	9	99505	7523371	75.60
7	0.00008	99500	8	99496	7423866	74.61
8	0.00007	99493	7	99489	7324370	73.62
9	0.00007	99486	7	99482	7224881	72.62
10	0.00008	99478	8	99474	7125399	71.63
11	0.00010	99470	10	99465	7025924	70.63
12	0.00013	99460	13	99454	6926459	69.64
13	0.00016	99448	16	99439	6827005	68.65
14	0.00021	99431	21	99421	6727566	67.66
15	0.00026	99410	26	99398	6628145	66.67
16	0.00031	99385	31	99369	6528747	65.69
17	0.00036	99354	36	99336	6429378	64.71
18	0.00040	99318	40	99298	6330042	63.73
19	0.00044	99278	44	99257	6230743	62.76
20	0.00049	99235	48	99211	6131487	61.79
21	0.00051	99187	51	99161	6032276	60.82
22	0.00053	99136	52	99110	5933115	59.85
23	0.00053	99084	53	99057	5834005	58.88
24	0.00052	99031	52	99005	5734948	57.91
25	0.00050	98979	49	98955	5635942	56.94
26	0.00049	98930	49	98906	5536988	55.97
27	0.00049	98881	49	98857	5438082	55.00
28	0.00051	98832	50	98807	5339225	54.02
29	0.00053	98782	52	98756	5240418	53.05
30	0.00057	98730	57	98701	5141662	52.08
31	0.00062	98673	61	98643	5042960	51.11
32	0.00066	98612	65	98580	4944318	50.14
33	0.00071	98547	70	98512	4845738	49.17
34	0.00077	98477	76	98439	4747226	48.21
35	0.00083	98401	81	98360	4648786	47.24
36	0.00091	98320	90	98275	4550426	46.28
37	0.00102	98230	100	98180	4452151	45.32
38	0.00114	98130	112	98074	4353971	44.37
39	0.00128	98018	126	97955	4255898	43.42

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00146	97892	143	97820	4157943	42.47
41	0.00163	97748	160	97669	4060123	41.54
42	0.00181	97589	177	97501	3962454	40.60
43	0.00200	97412	195	97315	3864954	39.68
44	0.00220	97218	213	97111	3767639	38.75
45	0.00239	97004	232	96888	3670528	37.84
46	0.00261	96772	252	96646	3573640	36.93
47	0.00284	96520	274	96383	3476993	36.02
48	0.00309	96246	297	96097	3380610	35.12
49	0.00335	95949	321	95788	3284513	34.23
50	0.00364	95627	349	95453	3188725	33.35
51	0.00392	95279	374	95092	3093272	32.47
52	0.00421	94905	399	94706	2998180	31.59
53	0.00449	94506	425	94294	2903474	30.72
54	0.00479	94081	451	93856	2809180	29.86
55	0.00510	93631	477	93392	2715324	29.00
56	0.00542	93153	505	92901	2621932	28.15
57	0.00576	92649	534	92382	2529031	27.30
58	0.00613	92115	565	91832	2436650	26.45
59	0.00653	91550	598	91251	2344818	25.61
60	0.00698	90952	635	90635	2253567	24.78
61	0.00746	90318	673	89981	2162932	23.95
62	0.00799	89644	716	89286	2072951	23.12
63	0.00858	88928	763	88546	1983665	22.31
64	0.00925	88165	815	87757	1895118	21.50
65	0.00995	87350	869	86915	1807361	20.69
66	0.01082	86480	935	86012	1720446	19.89
67	0.01180	85545	1010	85040	1634434	19.11
68	0.01292	84535	1092	83989	1549394	18.33
69	0.01419	83443	1184	82851	1465405	17.56
70	0.01565	82259	1288	81615	1382554	16.81
71	0.01722	80971	1395	80274	1300939	16.07
72	0.01895	79577	1508	78823	1220665	15.34
73	0.02085	78068	1628	77254	1141842	14.63
74	0.02293	76440	1753	75564	1064588	13.93
75	0.02524	74687	1885	73745	989024	13.24
76	0.02771	72802	2018	71793	915279	12.57
77	0.03040	70785	2152	69709	843486	11.92
78	0.03333	68633	2288	67489	773777	11.27
79	0.03652	66345	2423	65133	706289	10.65
80	0.03999	63922	2556	62644	641155	10.03
81	0.04376	61366	2685	60023	578511	9.43
82	0.04785	58681	2808	57277	518488	8.84
83	0.05230	55872	2922	54411	461212	8.25
84	0.05714	52950	3026	51437	406800	7.68
85+	1.00000	49925	49925	355363	355363	7.12

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7797185	77.97
1M	0.00036	99704	36	8307	7788864	78.12
2M	0.00025	99668	25	8305	7780556	78.06
3M	0.00053	99644	53	24904	7772252	78.00
6M	0.00034	99591	34	49787	7747347	77.79
0	0.00443	100000	443	99624	7797185	77.97
1	0.00025	99557	25	99545	7697560	77.32
2	0.00021	99533	21	99522	7598015	76.34
3	0.00018	99512	18	99503	7498493	75.35
4	0.00015	99494	15	99487	7398990	74.37
5	0.00012	99479	12	99474	7299504	73.38
6	0.00009	99468	9	99464	7200030	72.39
7	0.00007	99459	7	99456	7100566	71.39
8	0.00005	99453	5	99450	7001110	70.40
9	0.00005	99447	5	99445	6901660	69.40
10	0.00006	99442	6	99439	6802215	68.40
11	0.00008	99436	8	99432	6702776	67.41
12	0.00012	99428	12	99422	6603344	66.41
13	0.00018	99416	18	99407	6503922	65.42
14	0.00025	99398	25	99386	6404515	64.43
15	0.00033	99373	33	99357	6305129	63.45
16	0.00041	99340	41	99320	6205772	62.47
17	0.00048	99300	47	99276	6106453	61.50
18	0.00053	99252	53	99226	6007176	60.52
19	0.00058	99199	58	99171	5907951	59.56
20	0.00063	99142	62	99110	5808780	58.59
21	0.00066	99079	65	99047	5709670	57.63
22	0.00068	99014	67	98981	5610623	56.66
23	0.00068	98947	68	98914	5511642	55.70
24	0.00068	98880	67	98846	5412729	54.74
25	0.00065	98813	64	98781	5313882	53.78
26	0.00065	98748	64	98716	5215101	52.81
27	0.00065	98684	64	98652	5116385	51.85
28	0.00067	98620	66	98587	5017733	50.88
29	0.00070	98554	69	98519	4919146	49.91
30	0.00076	98485	74	98448	4820627	48.95
31	0.00081	98410	79	98371	4722179	47.98
32	0.00087	98331	85	98289	4623808	47.02
33	0.00094	98246	92	98200	4525520	46.06
34	0.00102	98154	101	98103	4427320	45.11
35	0.00110	98053	108	97999	4329216	44.15
36	0.00123	97945	120	97885	4231217	43.20
37	0.00139	97825	136	97757	4133332	42.25
38	0.00158	97689	154	97612	4035575	41.31
39	0.00180	97535	175	97447	3937962	40.37

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00208	97360	203	97258	3840515	39.45
41	0.00234	97157	228	97043	3743257	38.53
42	0.00261	96929	253	96803	3646213	37.62
43	0.00289	96676	279	96537	3549410	36.71
44	0.00318	96397	306	96244	3452874	35.82
45	0.00344	96091	331	95925	3356630	34.93
46	0.00376	95760	360	95580	3260704	34.05
47	0.00410	95400	391	95204	3165124	33.18
48	0.00447	95009	424	94796	3069920	32.31
49	0.00486	94584	459	94354	2975124	31.45
50	0.00530	94125	499	93875	2880769	30.61
51	0.00572	93626	535	93358	2786894	29.77
52	0.00614	93090	572	92804	2693536	28.93
53	0.00657	92518	608	92214	2600732	28.11
54	0.00702	91910	645	91588	2508517	27.29
55	0.00747	91265	682	90924	2416930	26.48
56	0.00794	90584	719	90224	2326005	25.68
57	0.00843	89865	757	89486	2235781	24.88
58	0.00895	89107	797	88709	2146295	24.09
59	0.00950	88310	839	87891	2057587	23.30
60	0.01008	87471	882	87030	1969696	22.52
61	0.01074	86589	930	86124	1882665	21.74
62	0.01146	85659	982	85168	1796541	20.97
63	0.01227	84677	1039	84158	1711372	20.21
64	0.01317	83638	1101	83088	1627214	19.46
65	0.01415	82537	1168	81953	1544127	18.71
66	0.01528	81369	1243	80748	1462174	17.97
67	0.01655	80126	1326	79463	1381426	17.24
68	0.01798	78800	1417	78091	1301963	16.52
69	0.01957	77383	1515	76625	1223872	15.82
70	0.02136	75868	1621	75058	1147247	15.12
71	0.02330	74247	1730	73382	1072189	14.44
72	0.02543	72517	1844	71595	998807	13.77
73	0.02775	70673	1961	69692	927212	13.12
74	0.03027	68712	2080	67672	857520	12.48
75	0.03307	66632	2203	65530	789848	11.85
76	0.03602	64428	2321	63268	724318	11.24
77	0.03920	62108	2435	60890	661050	10.64
78	0.04264	59673	2544	58401	600160	10.06
79	0.04634	57129	2647	55805	541759	9.48
80	0.05033	54481	2742	53111	485954	8.92
81	0.05462	51740	2826	50327	432844	8.37
82	0.05925	48913	2898	47464	382517	7.82
83	0.06423	46015	2956	44537	335053	7.28
84	0.06960	43060	2997	41561	290515	6.75
85+	1.00000	40063	40063	248954	248954	6.21

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8464937	84.65
1M	0.00034	99751	34	8311	8456614	84.78
2M	0.00018	99717	18	8309	8448303	84.72
3M	0.00037	99699	37	24920	8439994	84.65
6M	0.00041	99662	40	49821	8415074	84.44
0	0.00378	100000	378	99684	8464937	84.65
1	0.00023	99622	23	99610	8365252	83.97
2	0.00016	99599	16	99591	8265642	82.99
3	0.00011	99583	11	99577	8166051	82.00
4	0.00010	99572	10	99567	8066474	81.01
5	0.00009	99562	9	99558	7966907	80.02
6	0.00009	99553	9	99548	7867349	79.03
7	0.00009	99544	9	99539	7767801	78.03
8	0.00009	99535	9	99530	7668262	77.04
9	0.00009	99526	9	99521	7568732	76.05
10	0.00010	99516	10	99511	7469211	75.06
11	0.00012	99506	12	99500	7369700	74.06
12	0.00013	99494	13	99488	7270200	73.07
13	0.00015	99481	15	99474	7170712	72.08
14	0.00016	99466	16	99458	7071239	71.09
15	0.00018	99450	18	99441	6971780	70.10
16	0.00020	99432	20	99422	6872340	69.12
17	0.00023	99412	22	99401	6772918	68.13
18	0.00026	99389	26	99377	6673517	67.15
19	0.00029	99364	29	99349	6574140	66.16
20	0.00033	99335	32	99319	6474791	65.18
21	0.00035	99303	35	99285	6375472	64.20
22	0.00037	99267	37	99249	6276187	63.23
23	0.00037	99231	37	99212	6176938	62.25
24	0.00036	99194	35	99176	6077726	61.27
25	0.00033	99159	33	99142	5978549	60.29
26	0.00033	99126	32	99110	5879407	59.31
27	0.00032	99093	32	99077	5780298	58.33
28	0.00033	99061	33	99045	5681220	57.35
29	0.00035	99029	34	99011	5582175	56.37
30	0.00038	98994	38	98975	5483164	55.39
31	0.00041	98956	40	98936	5384189	54.41
32	0.00044	98916	43	98894	5285253	53.43
33	0.00047	98873	47	98849	5186358	52.45
34	0.00051	98826	51	98801	5087509	51.48
35	0.00055	98775	54	98748	4988709	50.51
36	0.00060	98721	59	98691	4889960	49.53
37	0.00065	98662	64	98630	4791269	48.56
38	0.00071	98597	70	98562	4692639	47.59
39	0.00078	98527	77	98488	4594077	46.63

表9 腎炎、腎病症候群及腎病變死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00085	98450	84	98408	4495589	45.66
41	0.00094	98366	92	98320	4397181	44.70
42	0.00103	98273	102	98223	4298862	43.74
43	0.00114	98172	112	98116	4200639	42.79
44	0.00125	98060	122	97999	4102523	41.84
45	0.00138	97938	135	97871	4004524	40.89
46	0.00150	97803	147	97730	3906653	39.94
47	0.00163	97656	159	97577	3808924	39.00
48	0.00176	97497	172	97411	3711347	38.07
49	0.00190	97325	185	97233	3613936	37.13
50	0.00204	97141	198	97042	3516703	36.20
51	0.00218	96943	212	96837	3419661	35.28
52	0.00233	96731	225	96618	3322824	34.35
53	0.00248	96506	239	96386	3226206	33.43
54	0.00264	96266	254	96139	3129820	32.51
55	0.00281	96012	269	95877	3033681	31.60
56	0.00300	95743	287	95599	2937804	30.68
57	0.00321	95456	306	95303	2842205	29.78
58	0.00344	95150	327	94986	2746902	28.87
59	0.00371	94822	352	94646	2651916	27.97
60	0.00404	94471	382	94280	2557270	27.07
61	0.00437	94089	411	93884	2462990	26.18
62	0.00473	93678	443	93456	2369106	25.29
63	0.00514	93235	479	92995	2275650	24.41
64	0.00561	92755	520	92495	2182655	23.53
65	0.00609	92235	561	91955	2090159	22.66
66	0.00672	91674	616	91366	1998205	21.80
67	0.00745	91058	679	90719	1906838	20.94
68	0.00831	90380	752	90004	1816120	20.09
69	0.00931	89628	834	89211	1726116	19.26
70	0.01051	88794	933	88327	1636905	18.43
71	0.01179	87860	1036	87342	1548578	17.63
72	0.01322	86824	1148	86251	1461236	16.83
73	0.01481	85677	1269	85042	1374985	16.05
74	0.01658	84408	1399	83708	1289943	15.28
75	0.01857	83009	1541	82238	1206235	14.53
76	0.02075	81467	1691	80622	1123996	13.80
77	0.02318	79777	1850	78852	1043374	13.08
78	0.02588	77927	2017	76919	964522	12.38
79	0.02887	75910	2192	74815	887604	11.69
80	0.03219	73719	2373	72532	812789	11.03
81	0.03587	71346	2559	70066	740257	10.38
82	0.03995	68787	2748	67413	670190	9.74
83	0.04446	66039	2936	64571	602778	9.13
84	0.04946	63102	3121	61542	538207	8.53
85+	1.00000	59981	59981	476665	476665	7.95

表10 慢性肝病及肝硬化死因除外簡易生命表
民國110年

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00273	100000	273	8322	8116189	81.16
1M	0.00035	99727	35	8309	8107868	81.30
2M	0.00022	99692	22	8307	8099558	81.25
3M	0.00045	99671	45	24912	8091252	81.18
6M	0.00037	99626	37	49803	8066340	80.97
0	0.00412	100000	412	99653	8116189	81.16
1	0.00024	99588	24	99576	8016536	80.50
2	0.00018	99565	18	99555	7916960	79.52
3	0.00015	99546	15	99539	7817404	78.53
4	0.00012	99532	12	99525	7717866	77.54
5	0.00011	99519	11	99514	7618340	76.55
6	0.00009	99509	9	99504	7518826	75.56
7	0.00008	99500	8	99496	7419322	74.57
8	0.00007	99492	7	99488	7319826	73.57
9	0.00007	99485	7	99481	7220338	72.58
10	0.00008	99478	8	99474	7120857	71.58
11	0.00010	99469	10	99464	7021383	70.59
12	0.00013	99459	13	99453	6921919	69.60
13	0.00016	99447	16	99439	6822466	68.60
14	0.00021	99430	21	99420	6723027	67.62
15	0.00026	99410	26	99397	6623607	66.63
16	0.00031	99384	31	99368	6524210	65.65
17	0.00036	99353	36	99335	6424842	64.67
18	0.00040	99317	40	99298	6325507	63.69
19	0.00044	99278	44	99256	6226209	62.72
20	0.00049	99234	48	99210	6126953	61.74
21	0.00051	99186	51	99160	6027744	60.77
22	0.00052	99135	52	99109	5928583	59.80
23	0.00053	99083	53	99057	5829474	58.83
24	0.00052	99031	52	99005	5730417	57.87
25	0.00050	98979	49	98954	5631413	56.90
26	0.00049	98930	49	98905	5532458	55.92
27	0.00049	98881	49	98857	5433553	54.95
28	0.00050	98832	50	98807	5334697	53.98
29	0.00052	98782	52	98757	5235889	53.00
30	0.00057	98731	56	98703	5137133	52.03
31	0.00060	98675	59	98645	5038430	51.06
32	0.00064	98616	63	98584	4939785	50.09
33	0.00069	98553	68	98519	4841200	49.12
34	0.00074	98485	73	98449	4742681	48.16
35	0.00079	98412	78	98374	4644233	47.19
36	0.00087	98335	85	98292	4545859	46.23
37	0.00096	98249	94	98202	4447567	45.27
38	0.00107	98155	105	98103	4349365	44.31
39	0.00120	98050	117	97992	4251262	43.36

表10 慢性肝病及肝硬化死因除外簡易生命表(續1)

民國110年

全體

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00135	97933	132	97867	4153270	42.41
41	0.00151	97801	147	97727	4055404	41.47
42	0.00167	97653	163	97572	3957677	40.53
43	0.00185	97490	180	97400	3860105	39.59
44	0.00204	97310	198	97211	3762705	38.67
45	0.00223	97112	216	97003	3665495	37.75
46	0.00244	96895	236	96777	3568491	36.83
47	0.00267	96659	258	96530	3471714	35.92
48	0.00290	96401	280	96261	3375184	35.01
49	0.00316	96121	303	95969	3278923	34.11
50	0.00344	95818	330	95653	3182953	33.22
51	0.00371	95488	355	95311	3087300	32.33
52	0.00399	95133	380	94943	2991990	31.45
53	0.00428	94753	406	94550	2897046	30.57
54	0.00459	94348	433	94131	2802496	29.70
55	0.00490	93915	460	93685	2708364	28.84
56	0.00523	93455	489	93210	2614680	27.98
57	0.00559	92966	519	92706	2521469	27.12
58	0.00597	92447	552	92171	2428763	26.27
59	0.00639	91895	587	91601	2336592	25.43
60	0.00685	91308	626	90995	2244991	24.59
61	0.00735	90682	667	90349	2153996	23.75
62	0.00791	90015	712	89660	2063647	22.93
63	0.00852	89304	761	88923	1973988	22.10
64	0.00921	88543	816	88135	1885065	21.29
65	0.00995	87727	873	87290	1796930	20.48
66	0.01084	86854	942	86383	1709640	19.68
67	0.01185	85912	1018	85403	1623257	18.89
68	0.01300	84894	1104	84342	1537854	18.12
69	0.01429	83790	1198	83191	1453512	17.35
70	0.01578	82593	1303	81941	1370321	16.59
71	0.01739	81290	1413	80583	1288380	15.85
72	0.01917	79876	1531	79111	1207797	15.12
73	0.02114	78345	1656	77517	1128686	14.41
74	0.02330	76689	1787	75796	1051169	13.71
75	0.02571	74902	1926	73939	975373	13.02
76	0.02829	72976	2064	71944	901434	12.35
77	0.03109	70912	2204	69810	829490	11.70
78	0.03414	68708	2345	67535	759680	11.06
79	0.03745	66362	2485	65120	692145	10.43
80	0.04106	63877	2623	62565	627025	9.82
81	0.04499	61254	2756	59876	564460	9.22
82	0.04925	58498	2881	57058	504583	8.63
83	0.05389	55617	2997	54119	447525	8.05
84	0.05892	52620	3100	51070	393407	7.48
85+	1.00000	49520	49520	342337	342337	6.91

表10 慢性肝病及肝硬化死因除外簡易生命表(續2)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00296	100000	296	8321	7807882	78.08
1M	0.00036	99704	36	8307	7799561	78.23
2M	0.00025	99668	25	8305	7791253	78.17
3M	0.00053	99644	53	24904	7782949	78.11
6M	0.00034	99591	34	49787	7758044	77.90
0	0.00443	100000	443	99624	7807882	78.08
1	0.00025	99557	25	99545	7708257	77.43
2	0.00021	99533	21	99522	7608712	76.44
3	0.00018	99512	18	99503	7509190	75.46
4	0.00015	99494	15	99487	7409687	74.47
5	0.00012	99479	12	99474	7310201	73.48
6	0.00009	99468	9	99463	7210727	72.49
7	0.00007	99458	7	99455	7111264	71.50
8	0.00005	99452	5	99449	7011809	70.50
9	0.00005	99446	5	99444	6912360	69.51
10	0.00006	99441	6	99438	6812916	68.51
11	0.00008	99435	8	99431	6713477	67.52
12	0.00012	99427	12	99421	6614046	66.52
13	0.00018	99415	18	99406	6514625	65.53
14	0.00025	99397	25	99385	6415219	64.54
15	0.00033	99372	33	99356	6315835	63.56
16	0.00041	99339	41	99319	6216479	62.58
17	0.00048	99299	48	99275	6117160	61.60
18	0.00054	99251	54	99224	6017886	60.63
19	0.00059	99197	59	99168	5918661	59.67
20	0.00063	99139	63	99107	5819493	58.70
21	0.00066	99076	65	99043	5720386	57.74
22	0.00068	99011	67	98977	5621343	56.78
23	0.00068	98944	68	98910	5522365	55.81
24	0.00068	98876	67	98843	5423456	54.85
25	0.00065	98809	64	98777	5324613	53.89
26	0.00064	98745	64	98713	5225836	52.92
27	0.00065	98681	64	98650	5127122	51.96
28	0.00066	98618	65	98585	5028473	50.99
29	0.00068	98552	67	98519	4929888	50.02
30	0.00073	98485	72	98449	4831369	49.06
31	0.00078	98413	77	98375	4732920	48.09
32	0.00083	98336	82	98295	4634545	47.13
33	0.00089	98255	88	98211	4536250	46.17
34	0.00097	98167	95	98119	4438039	45.21
35	0.00104	98072	102	98021	4339920	44.25
36	0.00115	97970	113	97914	4241899	43.30
37	0.00128	97858	126	97795	4143985	42.35
38	0.00145	97732	141	97661	4046190	41.40
39	0.00163	97591	159	97511	3948529	40.46

表10 慢性肝病及肝硬化死因除外簡易生命表(續3)

民國110年

男性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00187	97431	182	97340	3851018	39.53
41	0.00210	97249	204	97147	3753678	38.60
42	0.00234	97045	227	96932	3656531	37.68
43	0.00260	96818	251	96692	3559600	36.77
44	0.00287	96567	277	96428	3462907	35.86
45	0.00314	96289	303	96138	3366479	34.96
46	0.00345	95987	331	95821	3270341	34.07
47	0.00378	95656	361	95475	3174520	33.19
48	0.00413	95295	393	95098	3079045	32.31
49	0.00450	94901	427	94688	2983947	31.44
50	0.00491	94475	464	94243	2889258	30.58
51	0.00531	94011	499	93761	2795016	29.73
52	0.00573	93511	536	93244	2701254	28.89
53	0.00616	92976	573	92689	2608011	28.05
54	0.00661	92403	611	92097	2515322	27.22
55	0.00709	91792	651	91467	2423224	26.40
56	0.00757	91141	690	90796	2331758	25.58
57	0.00808	90451	731	90086	2240961	24.78
58	0.00862	89720	773	89334	2150875	23.97
59	0.00920	88947	818	88538	2061542	23.18
60	0.00980	88129	864	87697	1973004	22.39
61	0.01049	87265	915	86808	1885307	21.60
62	0.01125	86350	971	85864	1798499	20.83
63	0.01210	85379	1033	84862	1712635	20.06
64	0.01305	84346	1100	83796	1627772	19.30
65	0.01410	83246	1174	82659	1543977	18.55
66	0.01528	82072	1254	81445	1461318	17.81
67	0.01660	80818	1341	80147	1379873	17.07
68	0.01806	79477	1435	78759	1299726	16.35
69	0.01969	78041	1536	77273	1220966	15.65
70	0.02148	76505	1643	75683	1143693	14.95
71	0.02347	74862	1757	73983	1068010	14.27
72	0.02566	73105	1876	72167	994026	13.60
73	0.02806	71229	1998	70230	921859	12.94
74	0.03068	69231	2124	68169	851629	12.30
75	0.03362	67107	2256	65979	783460	11.67
76	0.03669	64851	2379	63661	717481	11.06
77	0.04000	62472	2499	61222	653820	10.47
78	0.04356	59973	2613	58667	592597	9.88
79	0.04740	57361	2719	56001	533931	9.31
80	0.05154	54641	2816	53233	477930	8.75
81	0.05600	51825	2902	50374	424696	8.19
82	0.06080	48923	2974	47436	374322	7.65
83	0.06596	45949	3031	44433	326886	7.11
84	0.07151	42918	3069	41384	282453	6.58
85+	1.00000	39849	39849	241069	241069	6.05

表10 慢性肝病及肝硬化死因除外簡易生命表(續4)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
0M	0.00249	100000	249	8323	8442387	84.42
1M	0.00034	99751	34	8311	8434064	84.55
2M	0.00018	99717	18	8309	8425753	84.50
3M	0.00037	99699	37	24920	8417444	84.43
6M	0.00041	99662	40	49821	8392524	84.21
0	0.00378	100000	378	99684	8442387	84.42
1	0.00023	99622	23	99610	8342703	83.74
2	0.00016	99599	16	99591	8243092	82.76
3	0.00011	99583	11	99577	8143502	81.78
4	0.00010	99572	10	99567	8043924	80.79
5	0.00009	99562	9	99558	7944357	79.79
6	0.00009	99553	9	99548	7844800	78.80
7	0.00009	99544	9	99539	7745251	77.81
8	0.00009	99535	9	99530	7645712	76.81
9	0.00009	99526	9	99521	7546182	75.82
10	0.00010	99516	10	99511	7446661	74.83
11	0.00012	99506	12	99500	7347150	73.84
12	0.00013	99494	13	99488	7247650	72.84
13	0.00015	99481	15	99474	7148162	71.85
14	0.00016	99466	16	99458	7048689	70.87
15	0.00018	99450	18	99441	6949231	69.88
16	0.00020	99432	20	99422	6849790	68.89
17	0.00023	99412	22	99401	6750368	67.90
18	0.00025	99390	25	99377	6650967	66.92
19	0.00028	99364	28	99350	6551590	65.94
20	0.00033	99336	32	99320	6452240	64.95
21	0.00035	99304	35	99287	6352920	63.97
22	0.00036	99269	36	99252	6253633	63.00
23	0.00036	99234	36	99216	6154381	62.02
24	0.00036	99197	35	99180	6055166	61.04
25	0.00034	99162	34	99145	5955986	60.06
26	0.00033	99128	32	99112	5856841	59.08
27	0.00032	99096	32	99080	5757729	58.10
28	0.00033	99064	33	99048	5658649	57.12
29	0.00035	99031	35	99014	5559602	56.14
30	0.00038	98996	38	98977	5460588	55.16
31	0.00041	98959	40	98938	5361610	54.18
32	0.00044	98918	43	98897	5262672	53.20
33	0.00047	98875	46	98852	5163775	52.23
34	0.00050	98829	50	98804	5064923	51.25
35	0.00054	98779	53	98753	4966119	50.27
36	0.00058	98726	58	98698	4867366	49.30
37	0.00064	98669	63	98637	4768668	48.33
38	0.00070	98606	69	98571	4670031	47.36
39	0.00077	98537	76	98499	4571460	46.39

表10 慢性肝病及肝硬化死因除外簡易生命表(續完)

民國110年

女性

年齡 X	死亡機率 $q_x^{(-i)}$	生存數 $l_x^{(-i)}$	死亡數 $d_x^{(-i)}$	定 常 人 口		平均餘命 $e_x^{o(-i)}$
				$L_x^{(-i)}$	$T_x^{(-i)}$	
40	0.00084	98461	83	98420	4472960	45.43
41	0.00093	98378	91	98333	4374540	44.47
42	0.00102	98287	100	98237	4276208	43.51
43	0.00112	98186	110	98131	4177971	42.55
44	0.00123	98076	121	98016	4079840	41.60
45	0.00135	97955	132	97889	3981824	40.65
46	0.00147	97823	144	97751	3883935	39.70
47	0.00160	97679	156	97601	3786184	38.76
48	0.00173	97523	169	97439	3688583	37.82
49	0.00187	97354	182	97263	3591144	36.89
50	0.00202	97173	196	97074	3493881	35.96
51	0.00216	96976	210	96871	3396806	35.03
52	0.00231	96767	224	96655	3299935	34.10
53	0.00247	96543	238	96424	3203280	33.18
54	0.00263	96305	253	96178	3106856	32.26
55	0.00279	96052	268	95918	3010678	31.34
56	0.00298	95784	285	95642	2914760	30.43
57	0.00319	95499	305	95347	2819118	29.52
58	0.00344	95194	327	95031	2723772	28.61
59	0.00371	94867	352	94691	2628741	27.71
60	0.00406	94515	384	94323	2534050	26.81
61	0.00440	94131	414	93924	2439727	25.92
62	0.00477	93717	447	93493	2345803	25.03
63	0.00519	93270	484	93028	2252310	24.15
64	0.00566	92786	525	92523	2159282	23.27
65	0.00613	92261	566	91978	2066759	22.40
66	0.00677	91695	620	91385	1974780	21.54
67	0.00751	91075	684	90733	1883395	20.68
68	0.00839	90390	758	90011	1792663	19.83
69	0.00941	89632	843	89210	1702651	19.00
70	0.01064	88789	945	88316	1613441	18.17
71	0.01195	87844	1050	87319	1525125	17.36
72	0.01342	86794	1165	86212	1437805	16.57
73	0.01507	85629	1290	84984	1351594	15.78
74	0.01691	84339	1426	83626	1266610	15.02
75	0.01898	82913	1573	82126	1182984	14.27
76	0.02125	81339	1728	80475	1100858	13.53
77	0.02378	79611	1893	78665	1020383	12.82
78	0.02658	77718	2066	76685	941718	12.12
79	0.02970	75652	2247	74529	865033	11.43
80	0.03316	73405	2434	72188	790504	10.77
81	0.03700	70971	2626	69658	718316	10.12
82	0.04126	68345	2820	66936	648658	9.49
83	0.04597	65526	3013	64019	581722	8.88
84	0.05120	62513	3201	60913	517703	8.28
85+	1.00000	59312	59312	456790	456790	7.70